

# BULLET HD ANALOG CAMERA

Introducing the B7Z2812A10-5MP Bullet security camera, a powerful analog surveillance solution. With a high-resolution 5MP sensor and a versatile 2.8-12mm motorized lens, this camera delivers clear and detailed imagery. Its infrared technology ensures visibility up to 35 meters even in low-light conditions, providing round-the-clock surveillance. With an IP66 waterproof rating, it's built to withstand outdoor environments, offering reliable protection against the elements. Invest in robust security with the B7Z2812A10-5MP Bullet camera for comprehensive monitoring needs.



## B7Z2812A10-5MP



5MP RESOLUTION



2.8-12MM  
MOTORIZED LENS



IR UP TO 35M



TVI-CVI-AHD-960H



WATERPROOF  
AND DUST-TIGHT



POWER 12V/DC

## VIDEO

IMAGING DEVICE	1/2.7" Progressive CMOS
TOTAL PIXELS	2608 (H) ×1960 (V)
EFFECTIVE PIXELS	2608 (H) ×1960 (V)
SCANNING SYSTEM	progressive scanning
MIN. ILLUMINATION	Color 0.04lux @ F1.6 (AGC ON) ; B/W 0 lux @ IR ON
MAX. FRAMERATE	5AHD/5TVI: 5MP@20fps 4AHD/4CVI/4TVI:P@25fps N@30fps 2AHD/2CVI/2TVI:P@25fps N@30fps CVBS: 960H
FOCAL LENGTH (ZOOM RATIO)	2.8-12mm
MAX. APERTURE RATIO	F1.8-3.3
ANGULAR FIELD OF VIEW	H:106.6°-34.6°/V:54.4°-19.5°/D:132.9°-39.8°
MIN. OBJECT DISTANCE	1.2m(W/T)
LENS TYPE	Varifocal Lens

## LAWS AND REGULATIONS

SAFETY	CE LVD
EMC	CE EMC FCC
ROHS	RoHS2.0


## OPERATIONAL

IR DISTANCE	35m
ON SCREEN DISPLAY	English
DAY & NIGHT	Ext / Color / B/W
BACKLIGHT COMPENSATION	Off / User BLC
WIDE DYNAMIC RANGE	D-WDR (Off/On)
DIGITAL NOISE REDUCTION	2D DNR
GAIN CONTROL	Auto
WHITE BALANCE	ATW
ELECTRONIC SHUTTER SPEED	Auto
REVERSE	Mirror
REMOTE CONTROL INTERFACE	ACP (AHD Coax Protocol)
VIDEO TRANSMISSION DISTANCE	MAX 300M (RG-6)

## GENERAL

OPERATING TEMPERATURE / HUMIDITY	-30°C - 55°C / 90%
INGRESS PROTECTION	IP66
INPUT VOLTAGE / CURRENT	12V DC
POWER CONSUMPTION	IR OFF ≤1W, IR ON ≤4W
DIMENSION (WXHXD)	Ø135.56x127.04mm
WEIGHT	appr. 881g
WEIGHT	Appr. 846g

## DIMENSIONS



## ACCESSORIES




**EB3BASE4**  
JUNCTION BOX



**B6BASE1**  
JUNCTION BOX



**BALUNHD**  
BALUN



**COMB6**  
CORNER MOUNT BRACKET



**PMB6**  
POLE MOUNT BRACKET

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.