

CTAVUE®

SIMBIOS

KLAVYS

FENNEC SERIES



SMART CATALOG 2026

SECURING YOUR WORLD

Q1 | REVISION 01.30

SECURING YOUR WORLD **THE G.S.D ADVANTAGE**



Artificial Intelligence

We take pride in providing a diverse suite of cutting-edge AI detection solutions, encompassing over 14 distinct types, each meticulously developed to deliver a remarkable accuracy rate of 92%.



Team of Experts

We understand the integrator's journey. Our team of dedicated professionals have a strong security background, years of experience and are committed to providing tailored support, from selecting the ideal security solution to expert installation guidance.



Warranty

Our products come with up to 3 years of warranty assurance, demonstrating our confidence in the durability and performance of our solutions. In the rare event of issues, our team of experts is ready to deliver prompt assistance.



Logistics

Time is critical in the deployment of projects, and we prioritize delivery efficiency. Our dedicated team ensures stable stock availability and works closely with our distribution channel in order to optimize the availability of our products, ensuring your orders arrive promptly.



Project Assistance

Our experts are ready to collaborate with you, guiding you through the customization of floor plans and optimal device placement. Elevate your security measures with confidence, ensuring comprehensive coverage and maximum effectiveness.



Cutting-Edge Technology Solutions

We offer integrators access to cutting-edge solutions. Our commitment to innovation ensures that you can provide your customers with state-of-the-art video monitoring systems, staying ahead of industry trends and meeting the evolving needs of modern projects.

COMPANY TIMELINE THE EVOLUTION OF G.S.D

PRODUCTION UP TO 20,000 RECORDERS AND CAPACITY: 100,000 CAMERAS MONTHLY

VISION


Securing your world with all-in-one solutions

MISSION

At G.S.D, we don't just deliver products—we deliver solutions. Every system we design is guided by continuous innovation, exceptional service, and a promise to deliver lasting value in everything we do.

VALUE

Innovation through community | Collaboration | Tailored Support



OUR PRODUCT LINES A FULL RANGE OF SOLUTIONS

KLAVYS

SMART BUILDING **ACCESS CONTROL**

ELEVATED ACCESS CONTROL FOR SECURE, CONNECTED BUILDINGS.

Klavys delivers smart access control with integrated video, flexible authentication, and centralized management. Designed for simple deployment and reliable operation, it provides secure, real-time control across connected entry points.

CTAVUE®

MULTI-USER CLOUD ACCOUNT **MANAGEMENT PLATFORM**

ONE PLATFORM. TOTAL CONTROL.

Octavue is our next-generation multi-site cloud management platform. It streamlines control of all your G.S.D devices under one single, easy-to-use platform. All of our IP cameras and 6K NVRs are compatible with the Octavue platform.

SIMBIS

YOUR CUSTOMIZED **SERVER SOLUTION**

SECURE, SCALABLE, AND FULLY CUSTOMIZABLE SOLUTIONS.

Customize your server to your specific needs. Tailor CPU, ram, storage, and GPU options to match your exact workload. Choose your hard drive capacity to fit your requirements select from multiple drive sizes to meet your specific storage demands.

FENNEC SERIES

YOUR SMART ACTIVE **AI SOLUTION**

PROFESSIONAL, EASY-TO-USE TECHNOLOGY FOR ESSENTIAL INDUSTRY NEEDS.

The Fennec Series delivers a lineup of Analog cameras, DVRs and a range of accessories, designed for simple installation and seamless, plug-and-play setup. Built for proactive protection, these cameras provide reliable surveillance to help keep your property safe without the complexity.

OUR PRODUCT LINES A FULL RANGE OF SOLUTIONS

WE DON'T JUST SELL PRODUCTS. WE OFFER COMPLETE SOLUTIONS.

Explore our diverse range of product housings, recorders, and accessories, and see how we cater to various needs with precision. Our company is dedicated to providing exceptional customer service and support, ensuring that every solution is tailored to meet the unique requirements of our retail partners. As leaders in AI technology, we integrate advanced solutions to enhance performance and drive innovation in every product we deliver.



**ONVIF SIP BASED
SPEAKERS**



SIMBIOS SERVERS



**NETWORK &
ANALOG CAMERAS**



**KLAVYS ACCESS
CONTROL**



**POE
ACCESSORIES**



**VIDEO
RECORDERS**



**PUBLIC VIEW
MONITORS**

TABLE OF CONTENTS



OCTAVUE NETWORK CAMERAS

13

- Lite Class Cameras
- Pro Class X Series Cameras
- Ultra Class Spectral Series Cameras
- Speciality Cameras
- Wireless Cameras



FENNEC SERIES ANALOG CAMERAS

40

- Eyeball Cameras
- Turret Cameras
- Dome Cameras
- Bullet Cameras



ADVANCED AI VIDEO RECORDERS

42

- 4K Fennec Series Network Video Recorders
- 6K Octavue Network Video Recorders
- Digital Video Recorders
- Wireless Video Recorders



G.S.D KITS

46

- X Series Kits
- Network Kits
- Analog Kits
- Wireless Kits

KLAWYS ACCESS CONTROL

52



G.S.D ACCESSORIES

- Network Accessories
- Mounting Accessories
- PoE Switches
- Speakers
- Power Supplies

53




PUBLIC VIEW MONITORS

64



SIMBIOS SERVERS

67



AI CLASSIFICATION

68



NAMING RULES

69

SOLUTION

OCTACLOUD

CLOUD MANAGEMENT PORTAL

Manage multiple sites from one place. View and search cameras, and control user access and permissions on the local device.

COMING SOON

OCTASTAT

CLOUD STATISTICS ANALYSIS PORTAL

Track traffic flow, line crossings, and heat maps of your busiest areas. Turn movement into measurable insights stored for up to 10 years.

READY

OCTADISK

CLOUD DISK STORAGE ANALYSIS PORTAL

Plan, create, and manage local storage by project. Save project plans and configurations so they can be modified or reused in the future.

READY



OCTAMAP

CLOUD PROJECT DESIGN PORTAL

Create, visualize, and save multiple projects by adding our different devices to your projects. Monitor entry and exit activity in real time.

READY

OCTATRACK

MOBILE TRACKING SOLUTION

Track and manage your vehicle fleets across up to 1,000 sites simultaneously. Assign roles, monitor activity, and adjust permissions instantly.

COMING SOON

OCTAPASS

CLOUD ACCESS CONTROL PORTAL

Store and search access events and license plate data in the cloud for up to 10 years. Manage users, permissions, and activity from one place.

COMING SOON

**The OCTAVUE platform is a paid subscription based solution designed for professionals

OCTAVUE MULTI-USER CLOUD ACCOUNT MANAGEMENT PLATFORM



Streamline control of all your G.S.D. devices within a single, easy-to-use platform, eliminating the difficulties of managing multiple systems simultaneously and helping you manage security effortlessly.

PLAN EDITOR

VIDEO ANALYSIS STATISTICS

Line Crossing Statistics

Face Statistics

Heat Map

Object Statistics

16 Channels Analyzed

2 Types of Objects

5 Time Stamps

Object Detection

Hour	Count
04	180
08	220
12	110
17	270

EVENT LOG

Search Filters: Date, Time, Channel, AI Type

SURVEILLANCE CENTER

Risk score: 12	Events: 1567	Active Alerts: 1567	System Health: 100%
Network: 0	Cameras: 0	Recording: 2	Users: 2

OVERVIEW

Total Clients
4 active

Total Sites
3 locations

Total Cameras
24 devices

EVENT LOG

Results (1576 logs) | Export | Advanced Export

Date/Time	Severity	Main Type	Sub Type	Channel	User	Recording	Category	Job Score	Result
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-
09/02/2025 14:34:00	Information	AI	Vehicle	CH2	-	Recording	System	80/100	-

USER ACCESS & ACTIVITY

Managed Accounts

Name	Email	Access Level	Status	Last Active	Location	Actions
Installer	installer@example.com	Admin	Active	09/12/2025	Montreal, QC	
Site Manager	management@example.com	Manager	Inactive	08/14/2025	Laval, QC	
Sales Director	sales@example.com	Guest	Banned	07/05/2025	Montreal, QC	
Guest	guest@example.com	Guest	Active	09/12/2025	Montreal, QC	
Operator	operator@example.com	Editor	Inactive	08/23/2025	Laval, QC	

**The OCTAVUE platform is a paid subscription based solution designed for professionals

StationX OUR VIDEO MANAGEMENT SOFTWARE PRO

MAIN FEATURES

Centralize all cloud devices in one Octavue account.


Full integration with OV Connect.

Seamlessly share devices and groups.

Manage live view, playback, talk, and access control permissions when sharing.


Advanced remote configuration: full camera and NVR settings access.

Unified P2P and cloud support for managing all devices in one place.



LIVE VIEW

- Up to 128 channels per window
- Creation of favorites and multi-site management
- Choice among 24 display layouts
- Instant notifications for human or vehicle events



ADVANCED REMOTE SETTINGS

- Full remote configuration access to cameras connected to the NVR for complete camera management.




SEARCH WITH A.I.*

- Human, vehicle, or facial detection
- Quick search across all channels
- Time-specific filtering
- Save in AVI, RF, or MP4 format
- Search by vehicle license plate




E-MAPPING

- Locate your cameras on a floor plan
- Receive alerts directly through the map
- Easily monitor your critical zones




SHARING DEVICES AND GROUPS

- Share devices and groups with other Octavue accounts using granular permissions (live view, playback, talk, PTZ, and access control).
- Main users can sync P2P devices to the account, but these devices cannot be shared.




LOCAL STATISTICS VIEWER

- Charts for faces, vehicles, and areas
- Data filterable by period (day, week, month, year)
- Export reports to Excel



ACCESS CONTROL SUPPORT

- Manage access control databases.
- Monitor, open, and lock doors.



VEHICLE AND GATE MANAGEMENT

- Monitor and control integrated cameras and gates.
- Vehicle management and oversight.
- Scheduled entrance and exits.
- Monitor the number of vehicles in a defined area

*It is the responsibility of the end user to comply with local regulations regarding personal privacy when using facial recognition technology.

OV CONNECT OUR MOBILE APP

SCAN AND CONNECT!

EACH OF OUR DEVICES INCLUDES A QR CODE THAT YOU CAN SCAN TO INSTANTLY ACCESS YOUR DEVICES

AFTER 8 YEARS OF BUILDING AND REFINING THE SMART GUARDIAN APP, WE'RE INTRODUCING A BRAND-NEW APP WITH ALL THE SMART GUARDIAN FEATURES—AND A WHOLE LOT MORE.

LEARN MORE ABOUT SMARTGUARDIAN. SCAN THE QR CODE.




EASILY EXPORT YOUR DATA FROM SMART GUARDIAN TO OUR NEW OV CONNECT APP

NEW APP FEATURES

- EASY ACCOUNT-BASED SHARING**
Grant access quickly using another OV account.
- UNIFIED DEVICE MANAGEMENT**
Manage all devices across the platform from a single cloud account.
- CALL FEATURE WITH DOORBELL**
Instantly receive calls when someone rings your doorbell.
- DEVICE & SITE SHARING**
Share devices, groups, or sites instantly without manual exports.
- SMART EVENT AUTOMATIONS**
Create automated actions triggered by events, directly from your phone.
- EXTENDED CLOUD BACKUP**
Securely store up to 10 years of event logs and statistics.

DOWNLOAD THE APP



LITE CLASS NETWORK CAMERAS

ESSENTIAL PERFORMANCE, SIMPLE SETUP.



12MP
RESOLUTION

RESOLUTION UP TO 12MP

Experience ultra high definition with resolutions up to 6K



MICROPHONE

With the OV Connect app, use the embedded or external microphone



AI FEATURES

Take advantage of our AI features to reduce false detections up to 92%



EDGE RECORDING

Use the on-board storage to record up to 1 month of AI detection with your 1TB SD card



P2P CLOUD CONNECTION

Scan your QR code & instantly connect without any port forwarding through a web port



INSTANT NOTIFICATIONS

Get notified for alarms such as AI detection, motion detection, I/O activation, or system failure

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

TEBFDATVIP5MP28-AI
TEBFDATVIP5MP28-AI-B



TEBFDAIP5MP28-AI-L
TEBFDAIP5MP28-AI-L-B



TEBFDAIP8MP28-AI-L
TEBFDAIP8MP28-AI-L-B



TEBFDAIP8MP28-AI
TEBFDAIP8MP28-AI-B



TEBFDAIP12MP36-AI



TEBFDAIP5MP36-AI-L
TEBFDAIP5MP36-AI-L-B



NEW



Resolution	5MP	5MP	8MP	8MP	12MP	5MP
Lens	2.8MM	2.8MM	2.8MM	2.8MM	3.6MM	3.6MM
Lens Type	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
IR	30M Warmlight 25M	30M	30M	30M	30M	30M
Lux	0.002	0.004	0.009	0.009	0.01	0.01
WDR	90dB	90dB	90dB	90dB	90dB	90dB
Night Vision	TotalView	IR	IR	IR	IR	IR
Microphone	Yes	Yes	Yes	Yes	Yes	Yes
Speaker	No	No	No	No	No	No
Audio In/Out	No	No	No	No	No	No
Alarm In/Out	No	No	No	No	No	No
Micro SD Card	Up to 1TB					
PoE	Max. 5.2W	Max. 5.5W	Max. 5.5W	Max. 6.5W	Max. 5.5W	Max. 5.5W
Codec	H264+ H265+					
Color	White or Black	White or Black	White or Black	White or Black	White	White or Black
Temperature	-35--+60°C	-35--+60°C	-35--+60°C	-35--+60°C	-35--+60°C	-35--+60°C
IP & IK rating	IP67	IP67	IP67	IP67	IP67	IP67
Junction Box	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1
Wall Mount	WMB2 OR WMB6 + TEBBASE1-G					
Ceiling Mount	CMB6-G + TEBBASE1-G					
Compliance	Onvif	Onvif	Onvif	Onvif	Onvif	Onvif
Download	DATASHEET VIDEO					

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

T2IP5MP28-L-N



T2IP8MP28-L-N



T3Z2812IP5MP-AI-L
T3Z2812IP5MP-AI-L-B



T3Z2812IP8MP-AI



Resolution	5MP	8MP	5MP	8MP
Lens	2.8MM	2.8MM	2.8-12MM	2.7-13.5MM
Lens Type	Fixed	Fixed	Motorized	Motorized
IR	30M	20M	45M	45M
Lux	0.004	0.009	0.004	0.009
WDR	120dB	90dB	90dB	90dB
Audio In/Out	Yes	Yes	Yes	Yes
Alarm In/Out	No	No	Yes	Yes
Mirco SD Card	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB
PoE	Max. 5.5W	Max. 5W	Max. 9W	Max. 10W
Codec	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+
Color	White	White	White or Black	White
Temperature	-35--+60°C	-35--+60°C	-35--+60°C	-35--+60°C
IP & IK rating	IP67	IP66	IP67	IP67
Junction Box	EB3BASE4	EB3BASE4	EB3BASE3	EB3BASE3
Wall Mount	WMB5 OR WMB6 + EB3BASE4-G	WMB5 OR WMB6 + EB3BASE4-G	WMB5 OR WMB6 + EB3BASE3-G	WMB5 OR WMB6 + EB3BASE3-G
Ceiling Mount	CMB6-G + EB3BASE4-G	CMB6-G + EB3BASE4-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G
Compliance	Onvif	Onvif	Onvif	Onvif
Download	DATASHEET VIDEO			

NETWORK CAMERAS

ANALOG CAMERAS

VIDEO RECORDERS

KITS

ACCESSORIES

PVM

SERVERS

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

	D2FDA28IP5MP-AI <small>Special Order</small>	D2FDA28IP5MP-AI-L D2FDA28IP5MP-AI-L-B	D2FDA36IP12MP-AI <small>NEW</small>	D2Z288IP5MP-AI <small>Special Order</small>	D6Z2812IP5MP-AI-L	D6Z2812IP5MP-AI-B	D6Z2812IP8MP-AI	
Resolution	5MP	5MP	12MP	5MP	5MP	5MP	8MP	
Lens	2.8MM	2.8MM	3.6MM	2.8-8MM	2.8-12MM	2.7-13.5MM	2.7-13.5MM	
Lens Type	Fixed	Fixed	Fixed	Motorized	Motorized	Motorized	Motorized	
IR	30M	30M	30M	30M	30M	30M	30M	
Lux	0.05	0.004	0.01	0.004	0.004	0.05	0.1	
WDR	90dB	90dB	90dB	90dB	120dB	90dB	120dB	
Microphone	No	Yes	Yes	Yes	No	No	No	
Speaker	No	No	No	No	No	No	No	
Audio In/Out	Yes	No	No	No	Yes	Yes	Yes	
Alarm In/Out	Yes	No	No	No	Yes	Yes	Yes	
HDMI Output	No	No	No	No	No	No	No	
Mirco SD Card	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB	
PoE	Max. 5.5W	Max. 5W	Max. 5.5W	Max. 5W	Max. 7W	Max. 7.5W	Max. 7W	
Codec	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	
Color	White	White or Black	White	White	White	Black	White	
Temperature	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	
IP & IK rating	IP67 IK10	IP67 IK10	IP67	IP67 IK10	IP67 IK10	IP67 IK10	IP67 IK10	
Junction Box	D2BASE1	D2BASE1	D2BASE1	D2BASE1	EB3BASE3	EB3BASE3-B	EB3BASE3	
Wall Mount	WMB2 OR WMB6 + D2BASE1-G	WMB5 OR WMB6 + EB3BASE3-G	WMB5-B	WMB5 OR WMB6 + EB3BASE3-G				
Ceiling Mount	CMB6-G + D2BASE1-G	CMB6-G + D2BASE1-G	CMB6-G + D2BASE1-G	CMB6-G + D2BASE1-G	CMB6-G + EB3BASE3-G	N/A	CMB6-G + EB3BASE3-G	
Compliance	Onvif 100000   	Onvif 100000   	Onvif 100000   	Onvif 100000   	Onvif 100000   	Onvif 100000   	Onvif 100000   	Onvif 100000   
Download	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO				

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

B7Z2812IP5MP-AI-N



B7Z2812IP8MP-AI



B7Z550IP8MP-AI



Resolution	5MP	8MP	8MP
Lens	2.7-13.5MM	2.7-13.5MM	5-50MM
Lens Type	Motorized	Motorized	Motorized
IR	45M	45M	80M
Lux	0.05	0.1	0.009
WDR	90dB	90dB	120dB
Microphone	No	No	No
Speaker	No	No	No
Alarm In/Out	Yes	Yes	Yes
Alarm In/Out	Yes	Yes	Yes
Mirco SD Card	Up to 1TB	Up to 1TB	Up to 1TB
Codec	H264+ H265+	H264+ H265+	H264+ H265+
Color	White	White	White
Temperature	-35~+60°C	-35~+60°C	-35~+60°C
IP & IK rating	IP66	IP66	IP67
Junction Box	B6BASE1	B6BASE1	B6BASE1
Wall Mount	Included	Included	Included
Ceiling Mount	N/A	N/A	N/A
Compliance	Onvif	Onvif	Onvif
Download	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO

PRO CLASS X SERIES CAMERAS

OUR SERIES OF FULLY EQUIPPED, ALL-IN-ONE NETWORK CAMERAS. THESE CAMERAS COME WITH A FULL RANGE OF POWERFUL FEATURES.



DETERRENCE LIGHTS

Red and blue lights activated when AI detection is triggered



SEE COLOR AT NIGHT

TotalView will bring you full color images up to 35m



EDGE RECORDING

Use the on-board storage to record up to 1 month of AI detection with your 1TB SD card



TWO-WAY COMMUNICATION

With the OV Connect app, use the embedded or external microphone & speaker



AI FEATURES

Take advantage of our AI features to reduce false detections up to 92%



P2P CLOUD CONNECTION

Scan your QR code & instantly connect without any port forwarding through a web port



5MP/8MP RESOLUTION

Experience ultra high definition with our 2k or 4k resolutions



VOICE PROMPTS

Activate the siren or a pre-recorded message through AI detection or through our APP or VMS



INSTANT NOTIFICATIONS

Get notified for alarms such as AI detection, motion detection, I/O activation, or system failure



NETWORK CAMERAS

ANALOG CAMERAS

VIDEO RECORDERS

KITS

ACCESSORIES

PVM

SERVERS

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XEBFATVIP4MP28-AI-E
XEBFATVIP4MP28-AI-E-B



LIMITED

XEBATVIP5MP28-AI-L-64G
XEBATVIP5MP28-AI-L-B-64G



XEBATVIP5MP28-AI-L
XEBATVIP5MP28-AI-L-B



XEBATVIP8MP28-AI-64G
XEBATVIP8MP28-AI-B-64G



XEBATVIP8MP28-AI
XEBATVIP8MP28-AI-B



XT2FPAN20IP5MP-AI

NEW



XT2FPAN20IP8MP-AI



XT3DUAL20IP8MP-AI

NEW



Resolution	4MP	5MP	5MP	8MP	8MP	5MP	8MP	2 X 4MP
Lens	2.8MM	2.8MM	2.8MM	2.8MM	2.8MM	2.0MM	2.0MM	2.8MM
Lens Type	Fixed							
IR	25M	30M						
Lux	0.002	0.002	0.002	0.007	0.007	0.007	0.007	0.001
WDR	90dB	90dB	90dB	90dB	90dB	120dB	120dB	90dB
Microphone	Yes							
Speaker	Yes							
Audio In/Out	No							
Alarm In/Out	No							
Deterrence	Red & Blue Deterrence Lights							
Siren	Yes							
Night Vision	TotalView							
Long Range	No	No	No	No	No	180° Panoramic	180° Panoramic	180°
Micro SD Card	Up to 1TB	64GB Included	Up to 1TB	64GB Included	Up to 1TB	Up to 1TB	Up to 1TB	Up to 1TB
PoE	Max. 7.5W	Max. 7W	Max. 7W	Max. 6.6W	Max. 6.6W	Max. 13.1W	Max. 13.1W	Max. 7.1W
Codec	H264+ H265+	H264+ H265+ MJPEG						
Color	White or Black	White	White	White				
Temperature	-35~+60°C	-30~+60°C						
IP & IK rating	IP67							
Junction Box	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	EB3BASE6	EB3BASE6	EB3BASE3
Wall Mount	WMB2 OR WMB6 + TEBBASE1-G	WMB5 OR WMB6 + EB3BASE6-G	WMB5 OR WMB6 + EB3BASE6-G	WMB5 OR WMB6 + EB3BASE3-G				
Ceiling Mount	CMB6-G + TEBBASE1-G	CMB6-G + EB3BASE6-G	CMB6-G + EB3BASE6-G	CMB6-G + EB3BASE3-G				
Compliance								
Download	DATASHEET VIDEO							

NETWORK CAMERAS

ANALOG CAMERAS

VIDEO RECORDERS

KITS

ACCESSORIES

PVM

SERVERS

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XB7FPAN20IP8MP-AI



AI

XB7ZATV2812IP5MP-AI



AI

XB8ZTV2812IP8MP-AI



AI

XB9Z550IP8MP-AI



AI

XD6ZTV2812IP5MP-AI



AI

XD6ZTV2812IP8MP-AI



AI

XT3ZTV2812IP5MP-AI



AI

XT3ZTV2812IP8MP-AI



AI

Resolution	8MP	5MP	8MP	8MP	5MP	8MP	5MP	8MP
Lens	2.0MM	2.8-12MM	2.8-12MM	5-50MM	2.8-12MM	2.8-12MM	2.8-12MM	2.8-12MM
Lens Type	Fixed	Motorized						
IR	25M	50M	50M	80M	45M	45M	45M	45M
Lux	0.007	0.002	0.007	0.009	0.002	0.007	0.002	0.007
WDR	90dB	90dB	90dB	120dB	90dB	90dB	90dB	90dB
Microphone	Yes							
Speaker	Yes							
Audio In/Out	No	Yes						
Alarm In/Out	No	Yes						
Deterrence	Red & Blue Deterrence Lights							
Siren	Yes							
Night Vision	TotalView							
Zoom	No							
Long Range	180° Panoramic	No						
Auto-Tracking	No							
Mirco SD Card	Up to 1TB							
PoE	Max. 12W	Max. 10.3W	Max. 10.7W	Max. 11.8W	Max. 6.3W	Max. 9.2W	Max. 7.2W	Max. 8.6W
Codec	H264+ H265+							
Color	White							
Temperature	-35~+60°C							
IP & IK rating	IP67	IP67	IP66	IP67 IK10	IP67 IK10	IP67 IK10	IP67	IP67
Junction Box	TEBBASE1	TEBBASE1 OR EB3BASE4	TEBBASE1 OR EB3BASE4	B6BASE1	EB3BASE3	EB3BASE3	EB3BASE3	EB3BASE3
Wall Mount	TEBBASE1-G OR CMB6-EXT-120	Included	Included	Included	WMB5 OR WMB6 + EB3BASE3-G			
Ceiling Mount	CMB6-G + TEBBASE1-G	N/A	N/A	N/A	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G
Compliance	Onvif NDAA FC CE							
Download	DATASHEET VIDEO							

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XPTZ4XIP8MP-AI



XPTZ37XIP8MP-AI-N



Resolution	8MP	8MP
Lens	2.8-12MM	5.5-202MM
Lens Type	Motorized	Motorized
IR	30M	200M
Lux	0.009	0.0005
WDR	90dB	120dB
Microphone	Yes	Yes
Speaker	Yes	Yes
Audio In/Out	No	Yes
Alarm In/Out	No	Yes
Night Vision	TotalView	TotalView
Deterrence	Red & Blue Deterrence Lights	Red & Blue Deterrence Lights
Siren	Yes	Yes
Zoom	4X Optical Zoom	37X Optical 16X Digital Zoom
Long Range	350°	360°
Auto Tracking	No	Yes
Starlight	No	No
Mirco SD Card	Up to 1TB	Up to 1TB
PoE	Max. 13W	36V DC / POE
Codec	H264+ H265+	H264+ H265+
Color	White	White
Temperature	-30~+60°C	-35~+65°C
IP & IK rating	IP66	IP67 IK10
Junction Box	N/A	PTZBASE1
Wall Mount	INCLUDED	PTZBASE1
Ceiling Mount	N/A	CMB6-P
Compliance	Onvif: 10000	Onvif: 10000
Download	DATASHEET VIDEO	DATASHEET VIDEO

ULTRA CLASS SPECTRAL SERIES CAMERAS

SPECTRAL MEETS AI+ INTELLIGENCE TO TURN TOTAL DARKNESS INTO ACTIONABLE DATA.



**SPECTRAL
LIGHT**



**NO
GHOSTING**



**DETERRENCE
LIGHTS**



**ADVANCED AI
DETECTION**



**TWO-WAY
COMMUNICATION**



**REAL TIME
NOTIFICATIONS**

ULTRA CLASS SPECTRAL SERIES CAMERAS

SEE FULL COLOR IN COMPLETE DARKNESS

ABILITY TO MAINTAIN HIGH CONTRAST AND SHARPNESS IN BOTH LIGHT AND DARK AREAS OF THE IMAGE.

Unlike typical night vision cameras that use infrared LEDs to illuminate the scene (which often results in grainy or monochromatic images), our spectral cameras use advanced 5th-generation starlight technology. This provides a warm light that enhances natural color details without the harsh, bright light seen in our Total View cameras. This allows for clear, high-quality images without the ghosting effect often found in lower-quality models.



SPECTRAL LIGHT



NO GHOSTING



DETERRENCE LIGHTS



ADVANCED AI DETECTION



TWO-WAY COMMUNICATION



REAL TIME NOTIFICATIONS


SPECTRAL CAMERAS COME EQUIPPED WITH AI+

WITH AI+, YOU CAN MAKE A MULTI-TARGET TYPE SEARCH



SEARCH FOR UP TO 100 DIFFERENT OBJECTS

SEARCH BY VEHICLE TYPE OR COLOR:



DETECT WHEN SOMEONE FALLS



DETECT AT FAR DISTANCES



AUTOMATICALLY BLUR FACES TO RESPECT PRIVACY LAWS



Spectral Mode At Night

Spectral Camera in Daylight

TotalView Camera At Night

Regular Camera with IR LEDs

LICENSE PLATE RECOGNITION CAMERA

8MP
RESOLUTION



8-32MM
Motorized Lens



IR Up to 100M



Spectral - See in Color at Night



Deterrence Lights & Siren



Two-way Communication



2xAlarm/1xAudio In/Out



IK10 Impact Resistant | NEMA 4X



IP67 Dustproof & Waterproof



Micro SD Card Slot up to 1TB

→ **STORE UP TO 200,000 LICENSE PLATES**

→ **DETECTION SPEED UP TO 120KM/H**




#XSLPRB9Z832IP8MP-AI+

WITH AI+, YOU CAN MAKE A MULTI-TARGET TYPE SEARCH

SEARCH BY VEHICLE TYPE OR COLOR:



SEARCH FOR UP TO 100 DIFFERENT OBJECTS



STATION X

🏠
⚙️
📺
📱

📺
👤
👤
🚗

Search 🔍

- 🚗 Vehicle 1
- 🚗 Vehicle 2
- 🚗 Vehicle 3
- 🚗 Vehicle 4
- 🚗 Vehicle 5
- 🚗 Vehicle 6
- 🚗 Vehicle 7
- 🚗 Vehicle 8
- 🚗 Vehicle 9
- 🚗 Vehicle 10
- 🚗 Vehicle 11
- 🚗 Vehicle 12

Time 📅

2025-02-03 07:09:24

2025-02-03 21:05:03

Min Interval 0 % Attribution

Similarity 50 % Cleanup

Search

Vehicle 1 ✎

Appeared Times: 4

Vehicle 2 ✎

Appeared Times: 4

Vehicle 3 ✎

Appeared Times: 4

Vehicle 7 ✎

Body 👉

<input type="checkbox"/> Select All	<input type="checkbox"/> Bicycle	<input type="checkbox"/> Motorcycle	<input type="checkbox"/> Coupe
<input type="checkbox"/> Convertible	<input type="checkbox"/> Sedan	<input type="checkbox"/> Van	
<input type="checkbox"/> SUV	<input type="checkbox"/> Truck	<input type="checkbox"/> Bus	

Color 👉

<input type="checkbox"/> Select All	<input type="checkbox"/> Black	<input type="checkbox"/> White	<input type="checkbox"/> Grey
<input type="checkbox"/> Red	<input type="checkbox"/> Orange	<input type="checkbox"/> Yellow	
<input type="checkbox"/> Green	<input type="checkbox"/> Blue	<input type="checkbox"/> Purple	

ALERTS
🔔
🔊
📺
💡

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XSEBATVIP4MP28-AI
XSEBATVIP4MP28-AI-B

XSEBATVIP8MP28-AI
XSEBATVIP8MP28-AI-B

XSEBIP4MP28-AI+
XSEBIP4MP28-B-AI+

XSEBIP8MP28-AI+
XSEBIP8MP28-B-AI+

XSEBATVIP8MP36-AI

XSEBIP8MP36-AI+



N

N

N +

N +

N

N +

Resolution	4MP	8MP	4MP	8MP	8MP	8MP
Lens	2.8MM	2.8MM	2.8MM	2.8MM	3.6MM	3.6MM
Lens Type	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
IR	20M	20M	25M	25M	20M	25M
Lux	0.0005	0.0007	0.0005	0.0007	0.0007	0.0007
WDR	120dB	120dB	120dB	120dB	120dB	120dB
Microphone	Yes	Yes	Yes	Yes	Yes	Yes
Speaker	Yes	Yes	Yes	Yes	Yes	Yes
Audio In/Out	No	No	No	No	No	No
Alarm In/Out	No	No	No	No	No	No
Night Vision	Spectral	Spectral	Spectral	Spectral	Spectral	Spectral
Deterrence	Red & Blue Deterrence Lights					
Siren	Yes	Yes	Yes	Yes	Yes	Yes
IR LED	1	1	1	1	1	1
Warmlight	2	2	2	2	2	2
Auto Tracking	No	No	No	No	No	No
Starlight	No	No	No	No	No	No
Micro SD Card	Up to 1TB					
PoE	Max. 5.44W	Max. 6.96W	Max. 7.7W	Max. 9.46W	Max. 6.96W	Max. 8.47W
Codec	H264+ H265+					
Color	White or Black	White or Black	White or Black	White or Black	White	White
Temperature	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C
IP & IK rating	IP67	IP67	IP67	IP67	IP67	IP67
Junction Box	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1	TEBBASE1
Wall Mount	WMB2 OR WMB6 + TEBBASE1-G					
Ceiling Mount	CMB6-G + TEBBASE1-G					
Compliance	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Download	DATASHEET VIDEO					

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XSB2IP4MP28-AI+

Coming Soon



AI+

XSB2IP8MP28-AI+

Coming Soon



AI+

XSB8ZA2812IP4MP-AI+

Coming Soon



AI+

XSB8ZA2812IP8MP-AI+

Coming Soon



AI+

XSLPRB9Z832IP8MP-AI+

Coming Soon



AI+

Resolution	4MP	8MP	4MP	8MP	8MP
Lens	2.8MM	2.8MM	2.8-12MM	2.8-12MM	8-32MM
Lens Type	Fixed	Fixed	Motorized	Motorized	Motorized
IR	25M	25M	45M	45M	100M
Lux	0.0005	0.0007	0.0007	0.001	0.0008
WDR	120dB	120dB	120dB	120dB	120dB
Microphone	Yes	Yes	Yes	Yes	Yes
Speaker	Yes	Yes	Yes	Yes	Yes
Audio In/Out	No	No	Yes	Yes	Yes
Alarm In/Out	No	No	Yes	Yes	Yes x2
Night Vision	Spectral	Spectral	Spectral	Spectral	Spectral
Deterrence	Red & Blue Deterrence Lights				
Siren	Yes	Yes	Yes	Yes	Yes
IR LED	1	1	4	4	8
Warmlight	2	2	4	4	4
Long Range	No	No	No	No	No
Starlight	No	No	No	No	No
Mirco SD Card	Up to 1TB				
PoE	Max. 8.21W	Max. 8.81W	Max. 11.32W	Max. 11.36W	Max. 12.28W
Codec	H264+ H265+				
Color	White	White	White	White	White
Temperature	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C
IP & IK rating	IP67	IP67	IP67	IP67	IP67 IK10 NEMA 4X
Junction Box	B6BASE1	B6BASE1	B6BASE1	B6BASE1	N/A
Wall Mount	Included	Included	Included	Included	Included
Ceiling Mount	N/A	N/A	N/A	N/A	N/A
Compliance	ONVIF IEEE 802.3af NEMA FC CE				
Download	DATASHEET VIDEO				

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

XST3ZA2812IP4MP-AI+

XST3ZA2812IP8MP-AI+

XSD6ZA2812IP4MP-AI+

XSD6ZA2812IP8MP-AI+

SPTZDA4XIP4MP-AI+

SPTZDA4XIP8MP-AI+

Coming Soon

Coming Soon

Coming Soon

Coming Soon

Coming Soon

Coming Soon



AI+

AI+

AI+

AI+

AI+

AI+

Resolution	4MP	8MP	4MP	8MP	4MP	8MP
Lens	2.8-12MM	2.8-12MM	2.8-12MM	2.8-12MM	2.8-12MM	2.8-12MM
Lens Type	Motorized	Motorized	Motorized	Motorized	Motorized	Motorized
IR	30M	30M	30M	30M	35M	35M
Lux	0.0007	0.001	0.0007	0.001	0.0007	0.001
WDR	120dB	120dB	120dB	120dB	120dB	120dB
Microphone	Yes	Yes	Yes	Yes	Yes	Yes
Speaker	Yes	Yes	Yes	Yes	Yes	Yes
Audio In/Out	Yes	Yes	Yes	Yes	Yes	Yes
Alarm In/Out	Yes	Yes	Yes	Yes	Yes	Yes
Night Vision	Spectral	Spectral	Spectral	Spectral	Spectral	Spectral
Deterrence	Red & Blue Deterrence Lights	No	No			
Siren	Yes	Yes	Yes	Yes	Yes	Yes
Zoom	No	No	No	No	4X Optical Zoom, Auto-tracking	4X Optical Zoom, Auto-tracking
Long Range	No	No	No	No	350° (Pan), 80° (Tilt)	350° (Pan), 80° (Tilt)
IR LED	2	2	2	2	4	4
Warmlight	2	2	2	2	4	4
Micro SD Card	Up to 1TB					
PoE	Max. 8.62W	Max. 8.84W	Max. 8.88W	Max. 9.03W	Max. 12.6W	Max. 12.6W
Codec	H264+ H265+					
Color	White	White	White	White	White	White
Temperature	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+60°C	-35~+65°C
IP & IK rating	IP67	IP67	IP67	IP67	IP67 IK10	IP67 IK10
Junction Box	EB3BASE3	EB3BASE3	EB3BASE3	EB3BASE3	EB3BASE6	EB3BASE6
Wall Mount	WMB5 OR WMB6 + EB3BASE3-G	WMB5	WMB5			
Ceiling Mount	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE3-G	CMB6-G + EB3BASE6-G	CMB6-G + EB3BASE6-G
Compliance	ONVIF NDAA FCC CE					
Download	DATASHEET VIDEO					

SPECIALITY NETWORK CAMERAS

BEYOND THE STANDARD VIEW.

Every installation has unique demands, and our Speciality Series is built to meet them. This comprehensive range offers distinct camera styles—including multi-sensor, panoramic, and covert designs—each packed with specific feature sets, customized to perform where traditional cameras cannot, providing you with the perfect tool for every specific application.



GEN2 THERMAL CAMERA

5MP
RESOLUTION



5MP
Resolution

3.6MM Lens



IR Up to 30M



Temperature
Measurement



Deterrence
Lights & Siren



TotalView- See
in Color at Night



Two-way
Communication



Alarm/Audio
In/Out



IP67 Dustproof
& Waterproof



Micro SD Card
Slot up to 1TB

SUPPORTS 3 TEMPERATURE MEASUREMENT RULE TYPES



AREA MEASUREMENT

Get the max, min, and average temperature in a defined area



LINE MEASUREMENT

Visualize temperature changes along a path



SPOT MEASUREMENT

Pinpoint temperature at a specific spot

USE TEMPERATURE MEASUREMENT TO PREVENT:



OFFICE FIRES




MACHINE OVERHEATING



ELECTRICAL HAZARDS

15+ DIFFERENT COLOR MODES



Thermal Module Field of View



Optical Module Field of View



Vehicle Detection Distance

Detection: 435m (1427ft)
Recognition: 109m (358ft)
Identification: 54m (177ft)



Human Detection Distance

Detection: 148m (486ft)
Recognition: 36m (118ft)
Identification: 21m (69ft)

Dual Spectrum Imaging



Horizontal: 81°

Heat Detection Distance:
25 m / 82 ft

Detection temperatures:
-20°C to 550°C

Vertical: 57°

Horizontal: 56°


Diagonal: 108°

Vertical: 56°

QUAD LENS NETWORK CAMERA



Our Quad Cameras have the ability to replace multiple cameras with a single quad-lens system, delivering customizable 460° coverage, AI-powered analytics, and full-color visibility day and night—all in one rugged, all-in-one solution.



#QUADF28IP16MP-AI

16MP
RESOLUTION



4X 4MP
Resolution

4X 2.8MM
Fixed Lens



Audio
In/Out

360°

460°
Long Range

115°

QUAD with Motorized Lens
4X 2.8-12MM

#QUADZ2812IP32MP-AI



Deterrence
Lights



TotalView



60W Injector
Included 24 VAC
Power Supply



Alarm
In/Out



FISHEYE NETWORK CAMERA



#FE360IP12MP-AI

12MP
RESOLUTION

12MP
Resolution



Dewarping up to 9 Divisions



**Wall Mount 180°
Ceiling Mount 360°**



**Hardware
Dewarping**



Microphone



Speaker




Alarm In/Out



AI Features

A single fisheye camera provides full 360° coverage, with customizable dewarping options that allow up to 9 simultaneous viewing divisions.



4G WIFI NETWORK CAMERA



No Wi-Fi? No problem.

Our 4G camera is ideal for remote installations.

#B9Z2812IP4MP-AI-KIT

4MP
RESOLUTION



4MP
Resolution

2.8-12MM
Motorized Lens



Solar
Powered



4G Wireless
Connection



Dual Light Modes -
See in Color at Night



Battery
Included



Two-Way
Communication



Audio/Alarm
In/Out



Waterproof &
Dustproof IP67



Wind Resistance
118 km/h / 73 mph

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

QUAD CAMERA
QUADZ2812IP32MP-AI



N

QUAD CAMERA
QUADF28IP16MP-AI

NEW



N

LPR CAMERA
LPRB92832IP8MP-AI



N +

HDMI CAMERA
D3F28IP2MP-HDMI



N

Special Order NEW

FLAT DOME CAMERA
FLF28D5MP-AI
FLF28D5MP-AI-B



N

FISHEYE CAMERA
FE360IP12MP



FISHEYE CAMERA
FE360IP12MP-AI

NEW



N

Resolution	4 X 8MP	4 X 4MP	8MP	2MP	5MP	12MP	12MP
Lens	4 X 2.8-12MM	4 X 2.8MM	8-32MM	2.8MM	2.8MM	2.0MM	2.0MM
Lens Type	Motorized	Fixed	Motorized	Fixed	Fixed	Fixed	Fixed
IR	30M	20M	100M	20M	20M	10M	10M
Lux	0.006	0.005	0.0008	0	0.004	0.03	0.03
WDR	120dB	Digital	120dB	120dB	90dB	90dB	90dB
Microphone	No	Yes	Yes	No	Yes	Yes	Yes
Speaker	No	Yes	Yes	Yes	No	No	No
Audio In/Out	Yes	Yes	No	No	No	No	No
Alarm In/Out	Yes	Yes	No	No	No	No	No
Deterrence	Flashing White Lights	Flashing White Lights	Flashing White Lights	No	No	No	No
Siren	No						
Night Vision	TotalView	TotalView	Spectral	IR	IR	IR	IR
Long Range	360°	360°	No	No	No	No	No
Special Features	60W Injector Included	60W Injector Included	AI+ Features Supports Precise Iris	HDMI Output	Compact Size	No	No
Mirco SD Card	Up to 1TB						
PoE	Max. 43W	Max. 19.09W, PoE+	Max. 10.24W	Max. 6.84W	Max. 4.5W	Max. 9.6W	Max. 9.6W
Codec	H264+ H265+	H264+ H265+ MJPEG	H264 H265 MJPEG	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+
Color	White						
Temperature	-35~+65°C	-30~+60°C	-35~+60°C	-30~+40°C	-30~+60°C	-30~+60°C	-30~+60°C
IP & IK rating	IP67 IK10	IP67 IK8	IP67 IK10	IP67	IP66	IP66	IP66
Junction Box	PTZBASE1	PTZBASE1	N/A	N/A	N/A	FEBASE	FEBASE
Wall Mount	Included	Included	Included	N/A	N/A	WMB6 + FEBASE-G	WMB6 + FEBASE-G
Ceiling Mount	CMB6-P	CMB6-P	N/A	N/A	N/A	CMB6-G + FEBASE-G	CMB6-G + FEBASE-G
Compliance	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE	Onvif 1.0 1.1 2.0 NDAA 2019 FCC CE
Download	DATASHEET VIDEO						

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

EXPLOSION PROOF CAMERA
B1F28IP5MP-EX

NEW



N

CORNER CAMERA
COF20IP5MP-AI

NEW



N

CORNER CAMERA
DJF20IP5MP-AI

NEW



N

MADE IN CANADA

SOLAR CAMERA KIT
B9Z2812IP4MP-AI-KIT

NEW



N

COVERT CAMERA
CVT37IP5MP

NEW



N

PINHOLE CAMERA
PIN20IP5MP-AI

N



PINHOLE CAMERA
PIN28IP5MP-AI

N



Resolution	5MP	5MP	5MP	4MP	5MP	5MP	5MP
Lens	2.8MM	2.8MM	2.0MM	2.8-12MM	3.7MM	2.0MM	2.0MM
Lens Type	Fixed	Fixed	Fixed	Motorized	Fixed	Fixed	Fixed
IR	30M	10M	-	Up To 30M	Up To 20M	-	-
Lux	0.001	0.001	0.004	0.0005	0.001	0.004	0.004
WDR	120dB	120dB	90dB	120dB	120dB	90dB	90dB
Microphone	No	Yes	No	Yes	No	No	No
Speaker	No	No	No	Yes	No	No	No
Audio In/Out	No	No	Yes	Yes	No	Yes	Yes
Alarm In/Out	No	No	No	Yes	No	No	No
Deterrence	No	No	No	No	No	No	No
Siren	No	No	No	No	No	No	No
Night Vision	IR	IR	IR	Dual Light Modes	IR	IR	IR
Long Range	No	No	No	No	No	No	No
Special Features	Explosion Proof	Anti-Vandal	No	Solar Powered 4G Wireless Connection Battery Included	Covert Camera	No	No
Mirco SD Card	Up to 1TB	N/A	No	Up to 1TB	No	No	No
PoE	DC 12V/POE	DC 12V/POE	Max. 3.47W	Max.8.7W	600mA max	Max. 3.47W	Max. 3.47W
Codec	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+
Color	Silver	Silver	Black	White	White	Black	Black
Temperature	-40°C~+60°C	-10°C~+60°C	-35~+60°C	-20°C~+60°C	-10°C~+60°C	-35~+60°C	-35~+60°C
IP & IK rating	IP68	IP67	-	IP67 - Wind Resistance Level 12	-	-	-
Junction Box	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wall Mount	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Ceiling Mount	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Compliance	Onvif 1.0 1.1 1.2 NDAA 2013 FCC CE	Onvif 1.0 1.1 1.2 NDAA 2013 FCC CE	NDAA 2013 FCC CE	Onvif 1.0 1.1 1.2 NDAA 2013 FCC CE	NDAA 2013 FCC CE	NDAA 2013 FCC CE	NDAA 2013 FCC CE
Download	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO			

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras

PTZD4XIP4MP-AI



N

PTZ25XIP2MP-AI-N



N

PTZ33XIP5MP-AI-N




N

Resolution	4MP	2MP	5MP
Lens	2.8-12MM	5-125MM	4.3-142MM
Lens Type	Motorized	Motorized	Motorized
IR	20M	100M	150M
Lux	0.001	0.002	0.003
WDR	120dB	120dB	120dB
Microphone	Yes	No	No
Speaker	Yes	No	No
Audio In/Out	No	Yes	Yes
Alarm In/Out	No	Yes	Yes
Night Vision	TotalView	IR	IR
Deterrence	No	No	No
Siren	Yes	No	No
Zoom	4X Optical Zoom	25X Optical Zoom	33X Optical Zoom
Long Range	350°	360°	360°
Auto Tracking	No	Yes	Yes
Starlight	No	No	Yes
Mirco SD Card	Up to 1TB	Up to 1TB	Up to 1TB
PoE	Max. 13W	Max. 22W	Max. 25.6W
Codec	H264+ H265+	H264+ H265+	H264+ H265+
Color	White	White	White
Temperature	-35~+65°C	-35~+65°C	-35~+65°C
IP & IK rating	IP66 IK10	IP66	IP66
Junction Box	EB3BASE6	PTZBASE1	PTZBASE1
Wall Mount	WMB5	PTZBASE1	PTZBASE1
Ceiling Mount	CMB6-G + EB3BASE6-G	CMB6-P	CMB6-P
Compliance	Onvif: 10000 NDAA: 10000 FC CE	Onvif: 10000 NDAA: 10000 FC CE	Onvif: 10000 NDAA: 10000 FC CE
Download	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO

PRO WIFI DOORBELL CAMERA

Manage your doorbell directly from our app: O.V. Connect



CAMERA

MIC & SIREN

#DBWL5MP-POE

STATUS LIGHT
(RED, GREEN, BLUE)

WHITE LIGHT
WARNING LED



PoE POWERED



#DBW-CHIME

WIRELESS CHIME

**COMES WITH A SET OF
PRE-REGISTERED BELL SOUNDS**

Your Wi-Fi doorbell camera includes one chime, you can add up to three additional chimes to ensure alerts are heard across different areas of your building.



#DBW-CHIMEKIT

CONVERSION KIT FOR
MECHANICAL DOORBELL
Power regulator - retrofit
your old mechanical doorbell



FULL HEAD TO TOE VIEW (9:16)

Get a complete view from head to toe to ensure you never miss any details.



HUMAN & PACKAGE DETECTION

Smart detection alerts you when a human or a package is detected at your door, giving you peace of mind.



WIFI TRANSMISSION

Seamless connectivity for easy access to live video footage from anywhere, anytime.



MATRIX LED UP TO 30M

With powerful matrix LED lights, get clear night-time visibility up to 30 meters, ensuring your front door is always under watch.



TWO-WAY COMMUNICATION

Speak and listen to visitors, delivery personnel, or anyone outside your door with crystal-clear audio.



MICRO SD CARD SLOT UP TO 512GB

Store all your footage securely with a micro SD card slot that supports up to 512GB of storage for extensive video recording.

PRO WIFI DOORBELL CAMERA

WITH POWERFUL MATRIX LED LIGHTS, GET CLEAR NIGHT-TIME VISIBILITY UP TO 30 METERS, ENSURING YOUR FRONT DOOR IS ALWAYS UNDER WATCH.



Field of View

Vertical: 132°
Horizontal: 96°
Diagonal: 163°

GET INSTANT NOTIFICATIONS WHEN A HUMAN OR PACKAGE IS DETECTED

POSITION YOUR DOORBELL AT 5° ANGLE TO CAPTURE PACKAGES LEFT AT YOUR DOORSTEP



THE RELAY FEATURE ALLOWS YOU TO REMOTELY UNLOCK YOUR DOOR, GIVING VISITORS EASY ACCESS WITHOUT HAVING TO LEAVE THE COMFORT OF YOUR COUCH.



WIFI CONSUMER SOLUTIONS

INNOVATIVE WIFI SOLUTION WITH EDGE RECORDING WHICH INCLUDES DOORBELLS BULLET AND PAN-TILT CAMERAS, DESIGNED TO SIMPLIFY A HOMEOWNER'S DAY TO DAY CHALLENGES



SCARE INTRUDERS AWAY

ACTIVATE DETERRENCE LIGHTS DIRECTLY FROM YOUR PHONE



SEE IN COLOR AT NIGHT

SEE IN FULL COLOR AT NIGHT WITH THE INTEGRATED SPOTLIGHT



DETECTION ALERTS

DETECT HUMANS OR PACKAGES & GET REAL-TIME NOTIFICATIONS



TALK & LISTEN

COMMUNICATE BOTH WAYS WITH THE BUILT-IN MICROPHONE & SPEAKER



SIMPLE INSTALLATION

WIFI CONNECTION - NO NEED TO PASS CABLES THROUGH YOUR HOME



EASY APP SETUP


EASILY CONNECT TO YOUR CAMERA BY SCANNING THE QR CODE

Manage your devices directly from our app: O.V. Connect




Device Sharing

Easily share devices with other users via assigned accounts.




Live View

Remotely access to view live videos at anytime or anywhere.




Playback

Quickly access the recordings on a clear timeline without missing any details.



Motion Alerts

Be alerted about what matters more for peace of mind at home or out.



2K

HD VIDEO QUALITY

CAPTURE CRYSTAL-CLEAR FOOTAGE WITH HIGH-DEFINITION VIDEO RESOLUTION



EDGE RECORDING (64GB INCLUDED)

NO RECORDER NEEDED - 64GB SD CARD STORES FOOTAGE DIRECTLY ON YOUR CAMERA



BATTERY POWERED DOORBELL

ENJOY WIRELESS CONVENIENCE WITH LONG-LASTING BATTERY POWER

Lite Class Cameras

Pro Class X Series Cameras

Ultra Class Spectral Cameras

Speciality Cameras

Wireless Cameras



	KVS-DBA20IP8MP-POE-R	DBWL5MP-POE	DBWL5MP-POE-R	DBW5MP-8-64G	PTWLIP4MP-AI-64G	B2FWLIP4MP-AI-64G	B2F28WL-8MP	B24GF28WL-8MP
Resolution	8MP	5MP	5MP	5MP	4MP	4MP	8MP	8MP
Lens	1.8MM	2.1MM	2.1MM	2.8MM	2.8MM	2.8MM	2.8MM	2.8MM
Lens Type	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
IR	Up To 5M	Up To 3M	Up To 3M	Up To 7M	Up To 25M	Up To 10M	Up To 12M	Up To 7M
Lux	0	0	0	0.005	0.06	0.005	0	0
WDR	120dB	90dB	90dB	90dB	90dB	90dB	N/A	N/A
Microphone	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speaker	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Audio In/Out	Yes	No	No	No	No	No	No	No
Alarm In/Out	Yes	No	No	No	No	No	No	No
Deterrence	Flashing White Lights	Flashing White Lights	Flashing White Lights	Flashing White Lights	Red & Blue Deterrence Lights	Red & Blue Deterrence Lights	No	No
Siren	Yes	No	No	No	Yes	Yes	No	No
Night Vision	IR	IR	IR	IR	TotalView	TotalView	IR	IR
Long Range	No	No	No	Dual Wide Angle View 160°	No	No	No	No
Special Features	Relay 30,000 Card Capacity 150,000 Event Capacity	WiFi 2.4/5Ghz Full Head To Toe View (9:16) Human & Package Detection	All features of DBWL5MP-POE + Relay (Card Scanner)	Matrix Led up to 30M Human & Package Detection	-	-	Battery Not Included Max 700M Wifi Transmission Distance (with no interference)	2.4GHz Wireless Connection Max 500M Wifi Transmission Distance (with no interference)
Mirco SD Card	Up to 1TB	Up to 512GB	Up to 512GB	Up to 512GB	Up to 512GB	Up to 512GB	Up to 512GB	Up to 512GB
PoE	Max. 9.86W	Max. 9.84W	Max. 6.11W	AC 8-24 V	DC 12V	DC 12V	Max. 4W	Max. 3.25W
Codec	H264+ H265+ MJPEG	H264+ H265+ MJPEG	H264+ H265+ MJPEG	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+	H264+ H265+
Color	Black	Black	Black	Black	White	White	White	White
Temperature	-30~+55°C	-25~+55°C	-20~+50°C	-20~+55°C	-20~+50°C	-35~+60°C	-20~+50°C	-20~+50°C
IP & IK rating	IP65, IK08, NEMA4X	IP65	IP65	IP66	IP66	IP66	IP66	IP66
Junction Box	N/A	ANGLE BRACKETS	ANGLE BRACKETS	N/A	N/A	N/A	N/A	N/A
Wall Mount	N/A	Included	Included	Included	N/A	N/A	N/A	N/A
Ceiling Mount	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Compliance	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE	Onvif IEEE NDA FC CE
Download	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO	DATASHEET VIDEO

TEBF28AIO-5MP
TEBF28AIO-5MP-B



TEBF28AIO-8MP
TEBF28AIO-8MP-B



TEBFTV28AIO-5MP
TEBFTV28AIO-5MP-B



T2F28AIO-5MP



T2F28AIO-8MP



T3Z2812AIO-5MP



Resolution	5MP	8MP	5MP	5MP	8MP	5MP
Lens	2.8MM	2.8MM	2.8MM	2.8MM	2.8MM	2.7-13.5MM
Lens Type	Fixed	Fixed	Fixed	Fixed	Fixed	Motorized
IR	30M	30M	30M	20M	20M	35M
Lux	0.01	0.05	0.05	0.05	0.05	0.02
WDR	90dB	90dB	90dB	90dB	90dB	120dB
Microphone	Yes	Yes	Yes	No	No	No
Audio In/Out	No	No	No	Yes	Yes	No
Night Vision	IR	IR	TotalView	IR	IR	IR
Power	12V 0.4A	12V 0.4A	12V 0.4A	12V 0.5A	12V 0.5A	12V 0.5A
Signal	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H
Color	White or Black	White or Black	White or Black	White	White	White
Temperature	-30~+55°C	-30~+55°C	-30~+55°C	-30~+55°C	-30~+55°C	-30~+55°C
IP & IK rating	IP66	IP66	IP66	IP66	IP66	IP66
Junction Box	TEBBASE	TEBBASE	TEBBASE	EB3BASE4	EB3BASE4	EB3BASE3
Wall Mount	WMB2 OR WMB6 + TEBBASE1-G	WMB2 OR WMB6 + TEBBASE1-G	WMB2 OR WMB6 + TEBBASE1-G	WMB5 OR WMB6 + EB3BASE4-G	WMB5 OR WMB6 + EB3BASE4-G	WMB5 OR WMB6 + EB3BASE3-G
Ceiling Mount	CMB6-G + TEBBASE1-G	CMB6-G + TEBBASE1-G	CMB6-G + TEBBASE1-G	CMB6-G + EB3BASE4-G	CMB6-G + EB3BASE4-G	CMB6-G + EB3BASE3-G
Compliance	FC CE					
Download	DATASHEET					

D2F28AIO-5MP



D6Z2812AIO-5MP



B2F28AIO-5MP-M



B7Z2812AIO-5MP



PTZ20XTVI



CVT37IR



	D2F28AIO-5MP	D6Z2812AIO-5MP	B2F28AIO-5MP-M	B7Z2812AIO-5MP	PTZ20XTVI	CVT37IR
Resolution	5MP	5MP	5MP	5MP	2MP	2MP
Lens	2.8MM	2.8-12MM	2.8MM	2.8-12MM	4.7-84.6MM	3.7MM
Lens Type	Fixed	Motorized	Fixed	Motorized	Motorized	Fixed
IR	15M	30M	25M	30M	120M	10M
Lux	0.05	0.05	0.05	0.05	0.05	0.01
WDR	90dB	120dB	Digital	90dB	90dB	90dB
Microphone	No	No	Yes	No	No	No
Zoom	No	No	No	No	20X Optical Zoom	No
Special Features	No	No	No	No	350° Long Range Control by RS-485*	Movement Detection
Power	12V 0.6A	12V 0.6A	12V 0.4A	12V 0.4A	12V 3A	12V 0.6A
Signal	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H	TVI-CVI-AHD-960H
Color	White	White	White	White	White	White
Temperature	-30~+55°C	-30~+55°C	-30~+55°C	-30~+55°C	-40~+60°C	-10~+50°C
IP & IK rating	IP66 IK10	IP66 IK10	IP66	IP66	IP66	N/A
Junction Box	D2BASE1	EB3BASE3	B6BASE1	B6BASE1	N/A	N/A
Wall Mount	WMB2 OR WMB6 + D2BASE1-G	WMB5 OR WMB6 + EB3BASE3-G	INCLUDED	INCLUDED	INCLUDED	INCLUDED
Ceiling Mount	CMB6-G + D2BASE1-G	CMB6-G + EB3BASE3-G	N/A	N/A	CMB6-P	N/A
Compliance	FC CE	FC CE				
Download	DATASHEET	DATASHEET				

4K Fennec Series NVRs

6K Octavue NVRs

Digital Video Recorders

Wireless Video Recorders



	GSD-NVRFNC4K-04-N	GSD-NVRFNC4K-08-N	GSD-NVRFNC6K-16-N	GSD-NVRFNC4K-32NP-N	GSD-NVRFNC4K-64NP-N	GSD-NVRFNC4K-256NP-N
Resolution	8MP	8MP	12MP	8MP	12MP	12MP
IP Channels	4	8	16	32	64	256
PoE Ports	4	8	16	0	0	0
Bandwidth	50Mbps	128Mbps	320Mbps	256Mbps	640Mbps	1024Mbps
HDDs	1	1	2	8	8	16
E-SATA	0	0	1	1	1	1
Raid	No	No	No	No	Yes	Yes
HDMI Outputs	1	1	2	2	4	4
HDMI Spot Monitor	0	0	Yes	Yes	Yes	Yes
VGA	Yes	Yes	Yes	Yes	Yes	Yes
Alarm In/Out (Relays)	0	0	16 in / 4 out			
Audio Outputs	1	1	1	1	1	1
Format	Compact	Compact	1U	2U	2U	3U
Rackmount Compatible	No	Yes	Yes	Yes	Yes	Yes
E-POE	Yes	Yes	Yes	No	No	No
Power Input	DC48V/1.2A	DC48V/1.5A	ATX 280W	ATX 250W	ATX 250W	ATX 250W
Power Consumption	5W	6W	12W	12W	8W	8W
Compliance	Onvif 1.0, NDAA, FCC, CE					
Download	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store

4K Fennec Series NVRs

6K Octavue NVRs

Digital Video Recorders

Wireless Video Recorders



Resolution	12MP	12MP	12MP	12MP	12MP	12MP
IP Channels	4	8	16	32	64	256
PoE Ports	4	8	16	0	0	0
Bandwidth	76Mbps	128Mbps	320Mbps	320Mbps	640Mbps	1024Mbps
HDDs	1	1	2	8	8	16
E-SATA	0	0	1	1	1	1
Raid	No	No	No	No	Yes	Yes
HDMI Outputs	1	1	2	2	4	4
HDMI Spot Monitor	0	0	Yes	Yes	Yes	Yes
VGA	Yes	Yes	Yes	Yes	Yes	Yes
Alarm In / Out (Relays)	0	0	16 in / 4 out			
Audio Outputs	1	1	1	1	1	1
Format	Compact	Compact	1U	2U	2U	3U
Rackmount Compatible	Yes	Yes	Yes	Yes	Yes	Yes
E-POE	Yes	Yes	Yes	No	No	No
Power Input	48V/1.2A	48V/1.5A	ATX 280W	ATX 280W	ATX 250W	ATX 250W
Power Consumption (Without HDD)	3.8W	4.3W	12W	12W	8W	8W
Compliance	Onvif 1.0, NDAA, FCC, CE					
Download	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store	DATASHEET VIDEO Available on the App Store

4K Fennec Series NVRs

6K Octavue NVRs

Digital Video Recorders

Wireless Video Recorders



Resolution	8MP	8MP	8MP	5MP LITE
BNC Channels	4	8	16	32
IP Cameras	Up to 6	Up to 12	Up to 24	Up to 4
Spot Monitor Out	On BNC	On BNC	On BNC	On BNC / HDMI
FPS	Up to 30 @ 4K	Up to 30 @ 4K	Up to 30 @ 4K	Up to 15 @ 3.9MP
Max. HDDs	1	1	2	4
Max. HDD Storage	Up to 16TB	Up to 16TB	Up to 16TB	Up to 16TB
E-SATA	0	0	1	1
HDMI Outputs	1	1	1	2
Alarm Inputs	4	8	16	16
Audio In / Out (Relays)	4 in / 1 out	8 in / 1 out	16 in / 1 out	8 in / 1 out
ONVIF Encoder	Yes	Yes	Yes	Yes
Video Out	HDMI 4K VGA 1080P	HDMI 4K VGA 1080P	HDMI 4K VGA 1080P	2X HDMI 4K VGA 1080P
Signal	TVI-CVI-AHD-CBVS	TVI-CVI-AHD-CBVS	TVI-CVI-AHD-CBVS	TVI-CVI-AHD-CBVS
Techno	TVI/CVI/AHD/ANALOG/IP	TVI/CVI/AHD/ANALOG/IP	TVI/CVI/AHD/ANALOG/IP	TVI/CVI/AHD/ANALOG/IP
Power	DC12V/3A	DC12V/3A	DC 12V/5A	DC12V/5A
Compliance	Onvif	Onvif	Onvif	Onvif
Download	DATASHEET VIDEO			

4K Fennec Series NVRs

6K Octavue NVRs

Digital Video Recorders

Wireless Video Recorders



	GSD-NVRWLFNC4K-08	GSD-NVR24GWLFNC4K-08
Resolution	8MP	8MP
Channels	8	8
IP Cameras	Up to 6	Up to 6
USB Ports	3	2
Battery Backup	Yes	Yes
Max. HDD Storage	Up to 6TB	Up to 8TB
HDD Slots	1	1
HDMI Slots	1	1
HaLow WiFi	400M	-
FPS	4K UHD @ 15fps	4K UHD @ 15fps
ONVIF Encoder	Yes	Yes
Video Out	HDMI 4K VGA 1080P	HDMI 4K VGA 1080P
Compliance		
Download	DATASHEET VIDEO 	DATASHEET VIDEO

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

XKIT4IP4MP-AI-E

1X GSD-NVRFNC4K-04-N
+
4X XEBFATVIP4MP28-AI-E
or
4X XEBFATVIP4MP28-AI-E-B



LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKIT6IP4MP-AI-E

1X GSD-NVRFNC4K-08-N
+
6X XEBFATVIP4MP28-AI-E
or
6X XEBFATVIP4MP28-AI-E-B



LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKIT12IP4MP-AI-E

1X GSD-NVRFNC6K-16-N
+
12X XEBFATVIP4MP28-AI-E
or
12X XEBFATVIP4MP28-AI-E-B



LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKIT4IP8MP-AI

1X GSD-NVRFNC4K-04-N
+
4X XEBATVIP8MP28-AI-L-64G
or
4X XEBATVIP8MP28-AI-L-B-64G



A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKIT6IP8MP-AI

1X GSD-NVRFNC4K-08-N
+
6X XEBATVIP8MP28-AI-L-64G
or
6X XEBATVIP8MP28-AI-L-B-64G




A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKIT12IP8MP-AI

1X GSD-NVRFNC6K-16-N
+
12X XEBATVIP8MP28-AI-L-64G
or
12X XEBATVIP8MP28-AI-L-B-64G



A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

Resolution	4MP	4MP	4MP	8MP	8MP	8MP
Channels	4	8	16	4	8	16
HDD	1	1	2	1	1	2
Alarm/Audio	In/Out	In/Out	In/Out	In/Out	In/Out	In/Out
Color	White or Black	White or Black	White or Black	White or Black	White or Black	White or Black
HDD Storage	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB
Kit Variations	XKIT4IP4MP-AI-E XKIT4IP4MP-AI-E-1T XKIT4IP4MP-AI-E-2T XKIT4IP4MP-AI-E-B XKIT4IP4MP-AI-E-B-1T XKIT4IP4MP-AI-E-B-2T	XKIT6IP4MP-AI-E XKIT6IP4MP-AI-E-2T XKIT6IP4MP-AI-E-4T XKIT6IP4MP-AI-E-8T XKIT6IP4MP-AI-E-B XKIT6IP4MP-AI-E-B-2T XKIT6IP4MP-AI-E-B-4T XKIT6IP4MP-AI-E-B-8T	XKIT12IP4MP-AI-E XKIT12IP4MP-AI-E-4T XKIT12IP4MP-AI-E-8T XKIT12IP4MP-AI-E-16T XKIT12IP4MP-AI-E-B XKIT12IP4MP-AI-E-B-4T XKIT12IP4MP-AI-E-B-8T XKIT12IP4MP-AI-E-B-16T	XKIT4IP8MP-AI XKIT4IP8MP-AI-1T XKIT4IP8MP-AI-2T XKIT4IP8MP-AI-B XKIT4IP8MP-AI-B-1T XKIT4IP8MP-AI-B-2T	XKIT6IP8MP-AI XKIT6IP8MP-AI-2T XKIT6IP8MP-AI-4T XKIT6IP8MP-AI-8T XKIT6IP8MP-AI-B XKIT6IP8MP-AI-B-2T XKIT6IP8MP-AI-B-4T XKIT6IP8MP-AI-B-8T	XKIT12IP8MP-AI XKIT12IP8MP-AI-4T XKIT12IP8MP-AI-8T XKIT12IP8MP-AI-16T XKIT12IP8MP-AI-B XKIT12IP8MP-AI-B-4T XKIT12IP8MP-AI-B-8T XKIT12IP8MP-AI-B-16T

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

XKITOV4IP4MP-AI-E

1X GSD-NVROV6K-04-N
+
4X XEBFATVIP4MP28-AI-E
or
4X XEBFATVIP4MP28-AI-E-B



LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKITOV6IP4MP-AI-E

1X GSD-NVROV6K-08-N
+
6X XEBFATVIP4MP28-AI-E
or
6X XEBFATVIP4MP28-AI-E-B




LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKITOV12IP4MP-AI-E

1X GSD-NVROV6K-16-N
+
12X XEBFATVIP4MP28-AI-E
or
12X XEBFATVIP4MP28-AI-E-B



LIMITED

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKITOV4IP8MP-AI

1X GSD-NVROV6K-04-N
+
4X XEBATVIP8MP28-AI-L-64G
or
4X XEBATVIP8MP28-AI-L-B-64G



A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKITOV6IP8MP-AI

1X GSD-NVROV6K-08-N
+
6X XEBATVIP8MP28-AI-L-64G
or
6X XEBATVIP8MP28-AI-L-B-64G




A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

XKITOV12IP8MP-AI

1X GSD-NVROV6K-16-N
+
12X XEBATVIP8MP28-AI-L-64G
or
12X XEBATVIP8MP28-AI-L-B-64G



A

- ☑️ DETERRENCE LIGHTS
- ☑️ SEE IN COLOR AT NIGHT
- ☑️ MICROPHONE, SPEAKER & SIREN
- ☑️ 64GB MICRO SD CARD INCLUDED

Resolution	4MP	4MP	4MP	8MP	8MP	8MP
Channels	4	8	16	4	8	16
HDD	1	1	2	1	1	2
Alarm/Audio	In/Out	In/Out	In/Out	In/Out	In/Out	In/Out
Color	White or Black	White or Black	White or Black	White or Black	White or Black	White or Black
HDD Storage	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB
Kit Variations	XKITOV4IP4MP-AI-E XKITOV4IP4MP-AI-E-1T XKITOV4IP4MP-AI-E-2T XKITOV4IP4MP-AI-E-B XKITOV4IP4MP-AI-E-B-1T XKITOV4IP4MP-AI-E-B-2T	XKITOV6IP4MP-AI-E XKITOV6IP4MP-AI-E-2T XKITOV6IP4MP-AI-E-4T XKITOV6IP4MP-AI-E-8T XKITOV6IP4MP-AI-E-B XKITOV6IP4MP-AI-E-B-2T XKITOV6IP4MP-AI-E-B-4T XKITOV6IP4MP-AI-E-B-8T	XKITOV12IP4MP-AI-E XKITOV12IP4MP-AI-E-4T XKITOV12IP4MP-AI-E-8T XKITOV12IP4MP-AI-E-16T XKITOV12IP4MP-AI-E-B XKITOV12IP4MP-AI-E-B-4T XKITOV12IP4MP-AI-E-B-8T XKITOV12IP4MP-AI-E-B-16T	XKITOV4IP8MP-AI XKITOV4IP8MP-AI-1T XKITOV4IP8MP-AI-2T XKITOV4IP8MP-AI-B XKITOV4IP8MP-AI-B-1T XKITOV4IP8MP-AI-B-2T	XKITOV6IP8MP-AI XKITOV6IP8MP-AI-2T XKITOV6IP8MP-AI-4T XKITOV6IP8MP-AI-8T XKITOV6IP8MP-AI-B XKITOV6IP8MP-AI-B-2T XKITOV6IP8MP-AI-B-4T XKITOV6IP8MP-AI-B-8T	XKITOV12IP8MP-AI XKITOV12IP8MP-AI-4T XKITOV12IP8MP-AI-8T XKITOV12IP8MP-AI-16T XKITOV12IP8MP-AI-B XKITOV12IP8MP-AI-B-4T XKITOV12IP8MP-AI-B-8T XKITOV12IP8MP-AI-B-16T

NEW

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

KIT4IP5MP-AI 

1X GSD-NVRFNC4K-04-N
+
4X TEBFDAIP5MP28-AI-L
or
4X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KIT6IP5MP-AI 

1X GSD-NVRFNC4K-08-N
+
6X TEBFDAIP5MP28-AI-L
or
6X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KIT12IP5MP-AI 

1X GSD-NVRFNC6K-16-N
+
12X TEBFDAIPMP28-AI-L
or
12X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KIT4IP8MP-AI 

1X GSD-NVRFNC4K-04-N
+
4X TEBFDAIP8MP28-AI-L
or
4X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KIT6IP8MP-AI 

1X GSD-NVRFNC4K-08-N
+
6X TEBFDAIP8MP28-AI-L
or
6X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KIT12IP8MP-AI 

1X GSD-NVRFNC6K-16-N
+
12X TEBFDAIP8MP28-AI-L
or
12X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

Resolution	5MP	5MP	5MP	8MP	8MP	8MP
Channels	4	8	16	4	8	16
HDD	1	1	2	1	1	2
Alarm/Audio	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out
Color	White or Black	White or Black	White or Black	White or Black	White or Black	White or Black
HDD Storage	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB
Kit Variations	KIT4IP5MP-AI KIT4IP5MP-AI-1T KIT4IP5MP-AI-2T KIT4IP5MP-AI-B KIT4IP5MP-AI-B-1T KIT4IP5MP-AI-B-2T	KIT6IP5MP-AI KIT6IP5MP-AI-2T KIT6IP5MP-AI-4T KIT6IP5MP-AI-8T KIT6IP5MP-AI-B KIT6IP5MP-AI-B-2T KIT6IP5MP-AI-B-4T KIT6IP5MP-AI-B-8T	KIT12IP5MP-AI KIT12IP5MP-AI-4T KIT12IP5MP-AI-8T KIT12IP5MP-AI-16T KIT12IP5MP-AI-B KIT12IP5MP-AI-B-4T KIT12IP5MP-AI-B-8T KIT12IP5MP-AI-B-16T	KIT4IP8MP-AI KIT4IP8MP-AI-1T KIT4IP8MP-AI-2T KIT4IP8MP-AI-B KIT4IP8MP-AI-B-1T KIT4IP8MP-AI-B-2T	KIT6IP8MP-AI KIT6IP8MP-AI-2T KIT6IP8MP-AI-4T KIT6IP8MP-AI-8T KIT6IP8MP-AI-B KIT6IP8MP-AI-B-2T KIT6IP8MP-AI-B-4T KIT6IP8MP-AI-B-8T	KIT12IP8MP-AI KIT12IP8MP-AI-4T KIT12IP8MP-AI-8T KIT12IP8MP-AI-16T KIT12IP8MP-AI-B KIT12IP8MP-AI-B-4T KIT12IP8MP-AI-B-8T KIT12IP8MP-AI-B-16T

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

KITOV4IP5MP-AI 

1X GSD-NVROV6K-04-N
+
4X TEBFDAIP5MP28-AI-L
or
4X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KITOV6IP5MP-AI 

1X GSD-NVROV6K-08-N
+
6X TEBFDAIP5MP28-AI-L
or
6X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KITOV12IP5MP-AI 

1X GSD-NVROV6K-16-N
+
12X TEBFDAIPMP28-AI-L
or
12X TEBFDAIP5MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KITOV4IP8MP-AI 

1X GSD-NVROV6K-04-N
+
4X TEBFDAIP8MP28-AI-L
or
4X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KITOV6IP8MP-AI 

1X GSD-NVROV6K-08-N
+
6X TEBFDAIP8MP28-AI-L
or
6X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

KITOV12IP8MP-AI 

1X GSD-NVROV6K-16-N
+
12X TEBFDAIP8MP28-AI-L
or
12X TEBFDAIP8MP28-AI-L-B



-  AUDIO IN/OUT
-  MICRO SD CARD UP TO 1TB

Resolution	5MP	5MP	5MP	8MP	8MP	8MP
Channels	4	8	16	4	8	16
HDD	1	1	2	1	1	2
Alarm/Audio	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out	Audio In/Out
Color	White or Black	White or Black	White or Black	White or Black	White or Black	White or Black
HDD Storage	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB	0TB, 1TB, 2TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB
Kit Variations	KITOV4IP5MP-AI KITOV4IP5MP-AI-1T KITOV4IP5MP-AI-2T KITOV4IP5MP-AI-B KITOV4IP5MP-AI-B-1T KITOV4IP5MP-AI-B-2T	KITOV6IP5MP-AI KITOV6IP5MP-AI-2T KITOV6IP5MP-AI-4T KITOV6IP5MP-AI-8T KITOV6IP5MP-AI-B KITOV6IP5MP-AI-B-2T KITOV6IP5MP-AI-B-4T KITOV6IP5MP-AI-B-8T	KITOV12IP5MP-AI KITOV12IP5MP-AI-4T KITOV12IP5MP-AI-8T KITOV12IP5MP-AI-16T KITOV12IP5MP-AI-B KITOV12IP5MP-AI-B-4T KITOV12IP5MP-AI-B-8T KITOV12IP5MP-AI-B-16T	KITOV4IP8MP-AI KITOV4IP8MP-AI-1T KITOV4IP8MP-AI-2T KITOV4IP8MP-AI-B KITOV4IP8MP-AI-B-1T KITOV4IP8MP-AI-B-2T	KITOV6IP8MP-AI KITOV6IP8MP-AI-2T KITOV6IP8MP-AI-4T KITOV6IP8MP-AI-8T KITOV6IP8MP-AI-B KITOV6IP8MP-AI-B-2T KITOV6IP8MP-AI-B-4T KITOV6IP8MP-AI-B-8T	KITOV12IP8MP-AI KITOV12IP8MP-AI-4T KITOV12IP8MP-AI-8T KITOV12IP8MP-AI-16T KITOV12IP8MP-AI-B KITOV12IP8MP-AI-B-4T KITOV12IP8MP-AI-B-8T KITOV12IP8MP-AI-B-16T

NEW

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

KIT4AIO5MP-AI

1X GSD-DVRFNC4K-04-N-AI
+
4X TEBF28AIO-5MP
or
4X TEBF28AIO-5MP-B



MICROPHONE

KIT6AIO5MP-AI

1X GSD-DVRFNC4K-08-N-AI
+
6X TEBF28AIO-5MP
or
6X TEBF28AIO-5MP-B



MICROPHONE

KIT4AIO5MP-AI

1X GSD-DVRFNC4K-16-N-AI
+
12X TEBF28AIO-5MP
or
12X TEBF28AIO-5MP-B



MICROPHONE

KIT4AIO8MP-AI

1X GSD-DVRFNC4K-04-N-AI
+
4X TEBF28AIO-8MP
or
4X TEBF28AIO-8MP-B



MICROPHONE

KIT6AIO8MP-AI


1X GSD-DVRFNC4K-08-N-AI
+
6X TEBF28AIO-8MP
or
6X TEBF28AIO-8MP-B



MICROPHONE

KIT12AIO8MP-AI

1X GSD-DVRFNC4K-16-N-AI
+
12X TEBF28AIO-8MP
or
12X TEBF28AIO-8MP-B



MICROPHONE

Resolution	5MP	5MP	5MP	8MP	8MP	8MP
Channels	4	8	16	4	8	16
HDD	1	1	2	1	1	2
Alarm/Audio	Audio over coaxial	Audio over coaxial	Audio over coaxial	Audio over coaxial	Audio over coaxial	Audio over coaxial
Color	White or Black	White or Black	White or Black	White or Black	White or Black	White or Black
HDD Storage	0TB, 1TB, 2TB	0TB, 1TB, 2TB, 4TB	0TB, 4TB, 8TB, 16TB	0TB, 2TB, 4TB	0TB, 2TB, 4TB, 8TB	0TB, 4TB, 8TB, 16TB
Kit Variations	KIT4AIO5MP-AI KIT4AIO5MP-AI-1T KIT4AIO5MP-AI-2T KIT4AIO5MP-AI-B KIT4AIO5MP-AI-B-1T KIT4AIO5MP-AI-B-2T	KIT6AIO5MP-AI KIT6AIO5MP-AI-1T KIT6AIO5MP-AI-2T KIT6AIO5MP-AI-4T KIT6AIO5MP-AI-B KIT6AIO5MP-AI-B-1T KIT6AIO5MP-AI-B-2T KIT6AIO5MP-AI-B-4T	KIT12AIO5MP-AI KIT12AIO5MP-AI-4T KIT12AIO5MP-AI-8T KIT12AIO5MP-AI-16T KIT12AIO5MP-AI-B KIT12AIO5MP-AI-B-4T KIT12AIO5MP-AI-B-8T KIT12AIO5MP-AI-B-16T	KIT4AIO8MP-AI KIT4AIO8MP-AI-2T KIT4AIO8MP-AI-4T KIT4AIO8MP-AI-B KIT4AIO8MP-AI-B-2T KIT4AIO8MP-AI-B-4T	KIT6AIO8MP-AI KIT6AIO8MP-AI-2T KIT6AIO8MP-AI-4T KIT6AIO8MP-AI-8T KIT6AIO8MP-AI-B KIT6AIO8MP-AI-B-2T KIT6AIO8MP-AI-B-4T KIT6AIO8MP-AI-B-8T	KIT12AIO8MP-AI KIT12AIO8MP-AI-4T KIT12AIO8MP-AI-8T KIT12AIO8MP-AI-16T KIT12AIO8MP-AI-B KIT12AIO8MP-AI-B-4T KIT12AIO8MP-AI-B-8T KIT12AIO8MP-AI-B-16T

X Series Kits

Network Kits

HD Analog Kits

Wireless Kits

KITWLHL4K-08 

- 1X GSD-NVRWLFNC4K-08
- 1X 2TB HARD DRIVE
- 6X B2F28WL-8MP
- 6X PWR-WL5V-2A
- 6X BAT-WLFNC



-  PIR
-  MICROPHONE & SPEAKER
-  ZOOM WIFI TRANSMISSION DISTANCE

KIT6WLIP8MP-1T-AI 

- 1X GSD-NVR24GWLFNC4K-08
- 1X 1TB HARD DRIVE
- 6X B24GF28WL-8MP



-  TWO-WAY COMMUNICATION
-  2.4GHZ WIRELESS CONNECTION

Resolution	8MP	8MP
Channels	8	8
HDD	1	1
Lens	2.8MM	2.8MM
IR	15M	-
Color	White	White
Codec	H264/H265	H264/H265
POE	Max. 4.5W	Max. 3.26W
Temperature	-20~+50°C	-20~+50°C
IP Rating	IP66	IP66
Download	DATASHEET	DATASHEET

WIRELESS HaLow KIT ACCESSORIES

BATTERY
BAT-WLFNC



CABLE
PWR-WL5V-2A

-  15 FEET
-  5V - 2AMP
-  WIRE PROTECTION



KLAVYS ACCESS CONTROL

KLAVYS

OUR NEW ACCESS CONTROL SERIES

SMART BUILDING SOLUTION

SEAMLESS ACCESS. SMART CONTROL. TOTAL SECURITY.

PRODUCT LINEUP:



PRO ACCESS DOORBELL CAMERA

KVS-DBA20IP8MP-POE



Take your building to the next level with KLAVYS – the all-in-one smart building solution for managing access, video, and real-time tracking.



ACCESS CONTROL VIDEO KEYPAD

KVS-DBPA20IP8MP-POE



8 INCH VIDEO ENTRY SYSTEM

KVS-TMONA8PIP5MP-POE-R



ACCESS CONTROL KEYPAD

KVS-KPPA-POE



INDOOR MONITOR

KVS-MONWL8P-POE

COMING SOON

COMING SOON

COMING SOON


COMING SOON

POE ACCESSORIES SIMPLIFY YOUR INSTALLATIONS

Extend your network reach without the need for additional power sources. Our PoE extenders provide a seamless solution for expanding your Ethernet network over long distances while simultaneously delivering both data and power to your devices.

COAX ACCESSORIES


#IP-COAX-300M



IP OVER COAX CONVERTER - CONVERTS SIGNAL FROM ANALOG TO IP WITH POE

NETWORK ACCESSORIES


#EXTPOE-GB-1K



NETWORK DATA TRANSMITTER - TRANSMISSION SOLUTION VIA UTP CABLE


#IPCOAX4C-300M

Use the COAX Cabling as a 4-Port Poe Switch and connect it to your NVR



IP OVER COAX HYBRID DATA TRANSMITTER - CONNECT UP TO 4 CAMERAS AT 500M

#EXT-4POE++



4 PORT POE++ EXTENDER AND SPLITTER - NO EXTERNAL POWER NEEDED!

Network Accessories

Mounting Accessories

PoE Switches

Speakers

Power Supplies

	Model #	Port	PoE	Uplink	Power Out	Format	Power In	Bandwidth	
	IPCOAX-300M	1	Yes	N/A	25W	802.3AF/AT	120V	10/100	
	IPCOAX-KIT8	1	Yes	Yes	150W	802.3AF/AT	120V	GIGA	
	IPCOAX-KIT16	1	Yes	Yes	150W	802.3AF/AT	120V	GIGA	
	IPCOAX4C-300M	4	Yes	1	30W	802.3AF/AT	56V / POE	10/100Mbps	
	INJPOE-25W	1	Yes	1	25W	802.3AT	48V / 2.5A	10/100/1000	
	INJPOE-90W	1	Yes	1	90W	802.3AT/B	48V / 2.5A	10/100/1000	
	MON-TEST-7P	2	Yes	Yes	48V	7"	12V	N/A	
	I/O-BOX8	8	No	Yes	N/A	N/A	12 VDC / 24 VDC or 12 VAC / 24 VAC	10/100	NEW
	I/O-BOX16	16	No	Yes	N/A	N/A	12 VDC / 24 VDC or 12 VAC / 24 VAC	10/100	NEW

Network Accessories

Mounting Accessories

PoE Switches

Speakers

Power Supplies

	Model #	Port	PoE	Uplink	Power Out	Format	Power In	Bandwidth	
	EXTPOE	1	Yes	N/A	15.5W	802.3AF	POE	10/100	
	EXT-2POE	2	Yes	1	30W	802.3AF/AT	POE + 25W	10/100/1000	
	EXT-4POE	4	Yes	1	25.5W	802.3AF	POE + 25W	10/100	
	EXT-4POE++	4	Yes	1	90W	802.3AF/B	POE ++ 90W	10/100/1000	
	EXTPOE-GB-1K	1	Yes	Yes	30W	802.3AT	56V / POE	10/100Mbps	
	EXTPOE-WP	1	Yes	N/A	15.5W	802.3AF	POE	10/100	NEW
	EXT-2POE-WP	2	Yes	1	30W	802.3AF/AT	POE + 25W	10/100/1000	NEW

UNIVERSAL POE DUAL-CAMERA BRACKET ON 1 WIRE

DBASEX COMPATIBLE CAMERAS



B7



D6



T2



XB7



XT3



T3



FEATURES

- Use 1 wire only for 2 cameras
- With built-in 2 poe ports
- No configuration needed
- Compatible with 3rd party cameras
- Wall mount installation
- Junction box installation
- Mounted on wall or ceiling
- Indoor & outdoor use

DBASEC COMPATIBLE CAMERAS



TEB



XEB



D2

Network Accessories

Mounting Accessories

PoE Switches

Speakers

Power Supplies

MODEL #	COLOR	DETAILS & COMPATIBILITY	
 EB3BASE3 EB3BASE3-B	White Black	Junction Box D6 XD6 T3 XT3	
 EB3BASE3-G	White	Pendant Junction Box D6 XD6 T3 XT3	
 EB3BASE4 EB3BASE4-B	White Black	Junction Box T2	
 EB3BASE4-G	White	Suspended Junction Box T2	
 EB3BASE5 EB3BASE5-B	White Black	Junction Box XSEB	NEW
 EB3BASE6	White	Junction Box XT2FPAN PTZD	NEW
 EB3BASE6-G	White	Suspended Junction Box XT2FPAN PTZD	NEW
 FEBASE	White	Junction Box FISHEYE	
 FEBASE-G	White	Pendant Junction Box FISHEYE	
 TEBBASE1 TEBBASE1-B	White Black	Junction Box TEB	
 TEBBASE1-G TEBBASE1-G-B	White Black	Pendant Junction Box TEB	
 CMB6-P	White	Ceiling Mount DBASEX-P PTZXX QUAD	
 CMB6-G	White	Ceiling Mount For BASES -G	
 DBASEC	White	Junction Box TEB D2 XEB XSEB B7 XB7	
 DBASEC-P	White	Pendant Bracket FITS DBASEC	
 COMB6	White	Corner Mount Bracket	
 PTZBASE1	White	Heavy Duty Junction Box WMB6 WMB8	

MODEL #	COLOR	DETAILS & COMPATIBILITY
 D2BASE1 D2BASE1-B	White Black	Junction Box D2
 D2BASE1-G D2BASE1-G-B	White Black	Pendant Junction Box D2
 WMB2 WMB2-B	White Black	Wallmount Bracket TEB XEB XSEB D2
 WMB5 WMB5-B	White Black	Wallmount Bracket D6 T2 T3 XT3 PTZD
 WMB6 WMB6-B	White Black	Wallmount Bracket FITS -G PENDANT
 WMB8	White	Wallmount Bracket DBASEX DBASEC (X) PTZ QUAD
 DCMB2	White	Suspended Ceiling Bracket D2
 DCMB6	White	Suspended Ceiling Bracket D6
 PMB6	White	Pole Mount Bracket For Junction Boxes
 B6BASE1	White	Junction Box B2 B6 B7 B7Z XB7 XB8
 DBASEX	White	Junction Box D6 T3 XT3 B7 XB7
 DBASEX-P	White	Pendant Bracket FITS DBASEX
 ECVR ECVR-B	White Black	Large Camera Cover D6 XD6 T3 XT3
 D6-CAP	White	Camera Cover D6 XD6
 CMB6-EXT-120 CMB6-EXT-B-120	White Black	Telescopic Mount 61"-120" (Ø120MM) TEB XEB FLF FE D2 B7Z XB7 XB8
 CMB6-EXT-150 CMB6-EXT-B-150	White Black	Telescopic Mount 61"-120" (Ø150MM) T3Z XT3Z T2 XT2 D6 XD6Z

Network Accessories

Mounting Accessories

PoE Switches

Speakers

Power Supplies



	FLF	D2	D6	XD6	TEB XEB	XSEB	T2	XT2	T3 XT3	B2	B7 XB7	XB8	XB7F	PTZD	PTZ XPTZ	FE	QUAD	CMB6-G	WMB6 (-B)	DBASEX-P	DBASEX-C
EB3BASE3 (-B)			✓	✓					✓												
EB3BASE3-G			✓	✓					✓									✓	✓		
EB3BASE4 (-B)					✓*		✓														
EB3BASE4-G					✓*		✓											✓	✓		
EB3BASE5 (-B)						✓*	✓														
EB3BASE6								✓						✓							
EB3BASE6-G								✓						✓				✓	✓		
FEBASE																✓					
FEBASE-G																✓		✓	✓		
TEBBASE1 (-B)					✓																
TEBBASE1-G (-B)					✓													✓	✓		
D2BASE1 (-B)		✓																			
D2BASE1-G (-B)		✓																✓	✓		
WMB2 (-B)		✓			✓	✓															
WMB5 (-B)			✓				✓	✓	✓					✓							
B6BASE1										✓	✓	✓	✓								
WMB8															✓		✓			+	+
DBASEX			✓				✓		✓		✓									+	
DBASEC		✓			✓	✓					✓	✓									+
CMB6-P															✓		✓			+	+
CMB6-EXT-120 (-B)	✓	✓			✓						✓	✓	✓			✓					
CMB6-EXT-150 (-B)			✓	✓			✓	✓						✓							
DCMB2		✓																			
DCMB6																					
D6-CAP			✓	✓																	
PTZBASE1																				✓	

* PLEASE NOTE THAT THE BOX IS BIGGER THAN THE CAMERA HOUSING

+ NOTE : THESE MOUNTS REQUIRE ADDITIONAL COMPONENTS FOR PROPER USE

MANAGED POE SWITCH

TOPOLOGICAL DIAGRAM ON VMS PRO



View where your camera is located on the diagram (which port on which switch). Save time by quickly locating the issue on your network.

VISUAL MANAGEMENT THROUGH OUR VMS



Manage your devices directly through your switch using our Video Management Software, restart the camera directly from your PoE switch.



EXTENDED TRANSMISSION UP TO 250M

Extended power transmission up to 250m with extension mode.



RED PORT PRIORITY

High priority ports that prioritize device data transmission.



DEVICE MONITORING


Live monitoring on the status of your devices, local and global power usage per port, instant & alarm notifications when a camera is down.



MAX 10 LEVELS OF CASCADES

View up to 10 cascades of devices as a diagram.

MANAGE YOUR DEVICES DIRECTLY FROM OUR VMS SOFTWARE



ADVANCED L3 MANAGED POE SWITCH

POWER OVER ETHERNET (POE)



Provides power and data over a single Ethernet cable, simplifying installations by reducing the need for separate power supplies for devices like IP cameras, VoIP phones, and wireless access points.



LAYER 2 AND LAYER 3 MANAGEMENT

Supports both Layer 2 (Data Link) and Layer 3 (Network) management, allowing advanced network configuration, routing, and traffic management for improved network efficiency and performance.



AUTO-SENSING ALGORITHM

Automatically detects and adjusts port settings for optimal device compatibility, streamlining network setup and reducing manual configuration.



DEVICE MONITORING

Live monitoring on the status of your devices, local and global power usage per port, instant & alarm notifications when a camera is down.



WEB SMART MANAGEMENT

Provides a user-friendly web-based interface for configuring, managing, and monitoring the switch, simplifying network management without the need for specialized software.



GIGABIT UPLINK & SFP SUPPORT

Offers high-speed Gigabit Ethernet uplinks and Small Form-Factor Pluggable (SFP) support for flexible, high-bandwidth connections, ensuring seamless network expansion and faster data transmission.



SUPPORTS IEEE 802.3AF/AT STANDARDS

Complies with industry-standard IEEE 802.3af and 802.3at protocols for PoE, ensuring compatibility with a wide range of PoE-enabled devices for reliable power delivery.

MANAGE YOUR DEVICES DIRECTLY FROM YOUR POE SWITCH



Network Accessories

Mounting Accessories

PoE Switches

Speakers

Power Supplies

Non-Managed Poe Switch

Ports

PoE

Uplink

Power Out

Format

Power In

Bandwidth

Download



SWC5POE-GIGA

4

Yes

1X RJ45

96W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)



SWC10POE-GIGA

8

Yes

2 X RJ45

196W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)



SWC18POE-GIGA

16

Yes

2 X RJ45

250W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)



SWC28POE-GIGA

24

Yes

2 X SFP
2 X RJ45

350W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)



SWC32POE-GIGA

28

Yes

4 X SFP
4 X RJ45

450W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)

Managed Poe Switch

Ports

PoE

Uplink

Power Out

Format

Power In

Bandwidth

Download



SWC9POE-MAN

8

Yes

1

65W

802.3AH/AZ

48V / 1.5A

10/100

[DATASHEET](#)



SWC18POE-MAN

16

Yes

2

230W

802.3AB/AF/AT

52V / 4.8A

10/100/1000

[DATASHEET](#)

Advanced L3 Managed Poe Switch

Ports

PoE

Uplink

Power Out

Format

Power In

Bandwidth

Download



SWC28POE-PRO

24

Yes

2 X SFP
2 X RJ45

400W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)



SWC54POE-PRO

48

Yes

6 X SFP

800W

802.3AF/AT

120V

10/100/1000

[DATASHEET](#)

DISCOVER OUR 30W SPEAKERS

OUR SPEAKERS CAN BE POWERED BY YOUR CAMERA, ENSURING EFFICIENT AND HASSLE-FREE INSTALLATION

30W ACTIVE HORN SPEAKER

#SPK-30W-12V



- Ⓜ Powered by camera 12V
- Ⓜ Startup in less than 1s
- Ⓜ Built-in Class-D amplifier
- Ⓜ Talk through mobile or VMS
- Ⓜ Works with IP cameras with RCA input
- Ⓜ IP67 waterproof design
- Ⓜ Can be used in daisy chain with SIP Onvif speaker

**NO EXTERNAL POWER.
NO EXTRA WIRING.**

30W HORN

#SPK-30W-12V



**EVERYTHING
ON 1 WIRE**

- ① Power
- ② RCA Output

30W ONVIF SIP NETWORK HORN SPEAKER

#SPK-IP30W-POE



- ① Power
- ② RCA Output
- ③ Alarm
- ④ PoE

- Ⓜ Built-in microphone
- Ⓜ Startup in less than 1s
- Ⓜ Supports MP3, WMA & WAV
- Ⓜ Supports PoE.at
- Ⓜ IP66 water resistant design
- Ⓜ Compatible with Onvif and SIP multicast support up to 10 IPs



#XB7ZATV2812IP5MP-AI
#XB8ZTV2812IP8MP-AI



TWO-WAY COMMUNICATION
WITH OUR APP
OV CONNECT



POWERED BY CAMERA
NO EXTRA WIRES NEEDED

INSTALLER FRIENDLY
NO EXTERNAL POWER SUPPLY
FEWER FAILURE POINTS
FASTER DEPLOYMENT

IDEAL FOR:
PERIMETER SECURITY
PARKING LOTS
WAREHOUSES
RETAIL EXTERIORS
REMOTE SITES

SPK-IP30W-POE Onvif®



- 🔌 MICROPHONE
- 🔌 SUPPORTS POE .AT
- 🔌 SIP & ONVIF COMPLIANT
- 🔌 STARTUP IN LESS THAN 1S
- 🔌 SUPPORTS MP3, WMA AND WAV
- 🔌 COMPATIBLE WITH 3RD PARTY VMS
- 🔌 UP TO 12 PRE-RECORDED MESSAGES

SPK-30W-12V



- 🔌 POWERED BY 12V
- 🔌 STARTUP IN LESS THAN 1S
- 🔌 BUILT-IN CLASS-D AMPLIFIER
- 🔌 TALK THROUGH MOBILE OR VMS
- 🔌 WORKS WITH IP CAMERAS WITH RCA INPUT

MIC-AIO-12V



- 🔌 MIC SPEAKER
- 🔌 STROBE DETERRENCE
- 🔌 NO EXTRA WIRES NEEDED
- 🔌 WORKS WITH IP CAMERAS
- 🔌 TALK THROUGH MOBILE OR VMS

Watts	30W PoE+	30W 12V	2.5W 12V
Siren	120dB	105dB	88dB
Hertz	8KHz 350Hz	8KHz 350Hz	-
Dispersion	230°	230°	-
Distance	Mic 10M	-	Mic 10M
IP Rating	IP66	IP67	IP66
Temperature	-30~+60°C	-30~+60°C	-30~+55°C
Download	DATASHEET	DATASHEET	DATASHEET

Network Accessories

Mounting Accessories


PoE Switches

Speakers

Power Supplies



PWR-12V-2A
POWER SUPPLY



ESATA-4HDD
4HDD EXTERNAL HARD DRIVE CASING



PWR-12V-3A
POWER SUPPLY



SPLIT-4
PIGTAIL POWER SPLITTER 1-4



PWR-12V-5A
POWER SUPPLY



MIC-CAM-KIT
12V MICROPHONE / RCA



PWR-48V-3.5A-4PIN
POWER SUPPLY



22 INCH MONITOR
LED 1080P HDMI



T-BLOCKS
POWER CONNECTOR



BALUNHD
BALUN OVER TWISTED PAIR



GRDLOOPHD
GROUND LOOP ISOLATOR



BALUNHDA+
VIDEO / POWER / AUDIO OVER CAT5



EXT-KVM
KVM EXTENDER

POE PUBLIC VIEW MONITOR



OUR INNOVATIVE PVM MONITORS BOAST A RANGE OF FEATURES TAILORED FOR RETAIL SETTINGS

PREVENT LOSSES WITH DETERRENCE

CUSTOMIZABLE ADVERTISEMENT PLATFORM

EMERGENCY & STORAGE CAPABILITIES

MANAGE EVERYTHING ON ONE SOFTWARE

EASY SET-UP & INSTALLATION

MULTIPLE MOUNTING SOLUTIONS AVAILABLE

POE PUBLIC VIEW MONITOR

OUR INNOVATIVE PVM MONITORS BOAST A RANGE OF FEATURES TAILORED FOR RETAIL SETTINGS

IK7 TEMPERED GLASS

CUSTOMIZABLE DISPLAY


WIFI & RJ45 CONNECTION

DC 12V OR POE POWERED

CUSTOM ADVERTISEMENT DEPLOY VIA A MANAGEMENT SOFTWARE

RECORD DIRECTLY ON LOCAL NVR OR OPTIONAL 1TB SD CARD

BUILT TO RUN 24/7 OR WITH CUSTOMIZED WORK SCHEDULE



HDMI IP CAMERA



2MP RESOLUTION

DC12V OR POE

2.8MM LENS

CUSTOM DETERRENCE MESSAGE

ADVERTISEMENT PLATFORM DRIVE ENGAGEMENT



CONNECTS TO ANY TV DIRECTLY WITH THE HDMI CABLE!



MONPVM-10



- 🔌 3W BUILT-IN SPEAKER
- 💡 LED DETERRENCE LIGHTS
- 📶 WIFI & RJ45 CONNECTION
- 🗣️ PRE-RECORDED MESSAGES
- 👤 FACE DETECTION AND PIR SENSOR

MONPVM-22



- 🔌 2X 3W BUILT-IN SPEAKER
- 💡 LED DETERRENCE LIGHTS
- 📶 WIFI & RJ45 CONNECTION
- 🗣️ PRE-RECORDED MESSAGES
- 👤 FACE DETECTION AND PIR SENSOR

MONPVM-32

Special Order



- 🔌 2X 3W BUILT-IN SPEAKER
- 💡 LED DETERRENCE LIGHTS
- 📶 WIFI & RJ45 CONNECTION
- 🗣️ PRE-RECORDED MESSAGES
- 👤 FACE DETECTION AND PIR SENSOR

PVM ACCESSORIES

WALL MOUNT PVM 10"
WMB-PVM10



POLE MOUNT PVM 10"
PMB-PVM10

Special Order



Camera Resolution	2MP	2MP	2MP
Lens	3.3MM	3.3MM	3.3MM
Display Resolution	1280 X 800	1920 X 1080	1920 X 1080
Screen Size	10.1"	21.5"	32"
Power	DC 12V or PoE	DC 12V	DC 12V
IK Rating	IK7	IK7	IK7
Temperature	0~+50°C	0~+50°C	0~+50°C
Compliance	Onvif	Onvif	Onvif
Download	DATASHEET	DATASHEET	DATASHEET

SMB1-12SVR2U650W-XXT



SMB2-12SVR2U650W-XXT



SMB3-12SVR2U650W-XXT



SMB1-24SVR4U850W-XXT



SMB2-24SVR4U850W-XXT



SMB3-24SVR4U850W-XXT



Configuration	12-Bay i5 (Low Tier)	12-Bay i7 (Mid Tier)	12-Bay i9 (High Tier)	24-Bay i5 (Low Tier)	24-Bay i7 (Mid Tier)	24-Bay i9 (High Tier)
Format	2U	2U	2U	4U	4U	4U
CPU Model	Intel Core i5-13600K	Intel Core i7-13700K	Intel Core i9-14900K	Intel Core i5-13600K	Intel Core i7-13700K	Intel Core i9-14900K
OS Drive	1TB NVMe					
RAID Type	None (JBOD)	Hardware RAID (0, 1, 5, 6, 10)	Hardware RAID (0, 1, 5, 6, 10)	None (JBOD)	Hardware RAID (0, 1, 5, 6, 10)	Hardware RAID (0, 1, 5, 6, 10)
RAM	16GB	32GB	32GB	16GB	32GB	64GB
Power Supply	650W (Standard)	650W (Gold)	650W (Platinum, Redundant)	850W (Standard)	850W (Gold)	850W (Platinum, Redundant)
GPU Model	NVIDIA RTX 4060 (Low Profile)	NVIDIA RTX 4060 (Low Profile)	NVIDIA RTX 4060 (Low Profile)	NVIDIA RTX 4050	NVIDIA RTX 4070	NVIDIA RTX 4080
VRAM	8GB	8GB	8GB	8GB	8GB	16GB
HDMI Ports (GPU)	1x HDMI 2.1					
HDMI Port (Motherboard)	1x HDMI 2.0 (Integrated)					
Display Ports	2x DisplayPort 1.4a	3x DisplayPort 1.4a				
Network Port	2 x 2.5GbE	2 x 2.5GbE	1 x 2.5GbE & 1 x 10GbE	2 x 2.5GbE	1 x 2.5GbE & 1 x 10GbE	1 x 2.5GbE & 1 x 10GbE
Accessories	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License	Wireless Mouse & Keyboard, Rackmount Brackets & Rails, Windows 11Pro License
Hard Drive Variations (XXT)	32TB, 64TB, 96TB, 128TB, 192TB	32TB, 64TB, 96TB, 128TB, 192TB	32TB, 64TB, 96TB, 128TB, 192TB	64TB, 96TB, 128TB, 192TB, 256TB, 384TB, 480TB	64TB, 96TB, 128TB, 192TB, 256TB, 384TB, 480TB	64TB, 96TB, 128TB, 192TB, 256TB, 384TB, 480TB
Compliance	Onvif 1.000 NDAA FC CE					
Download	DATASHEET VIDEO					



High Performance Rackmount Server

CUSTOMIZE YOUR SERVER TO YOUR SPECIFIC NEEDS!

SCALABLE SOLUTION

UP TO 480TB

UP TO 10GBE NETWORKS

RACKMOUNT FRIENDLY

OPTIONAL REDUNDANT POWER SUPPLY

Pre-Configured with windows 11 pro software of your choice.

Choose Your Hard Drive Capacity To Fit Your Requirements

Call Our Sales Representative For More Information!

THE ADVANTAGES OF AI - UNLEASHING THE POSSIBILITIES



SCAN THE FOLLOWING QR CODE TO GET MORE INFORMATION ON OUR AI FEATURES →

	AI-E	AI-L	AI	AI+
HUMAN DETECTION		✓	✓	✓
VEHICLE DETECTION		✓	✓	✓
VEHICLE TYPE				✓
COLOR CLASSIFICATION				✓
MULTI-TARGET-TYPE RECOGNITION				✓
QUEUE LENGTH DETECTION		✓	✓	✓
LICENCE PLATE RECOGNITION		✓*	✓	✓
PERIMETER INTRUSION DETECTION	✓	✓	✓	✓
LINE CROSSING	✓	✓	✓	✓
INTRUSION DETECTION	✓	✓	✓	✓
REGION ENTRANCE AND EXITING	✓	✓	✓	✓
NOISE DETECTION	✓	✓	✓	✓
CROSS COUNTING		✓	✓	✓
RARE SOUND DETECTION		✓	✓	✓
STATIONARY OBJECT DETECTION		✓	✓	✓
CROWD DENSITY DETECTION		✓	✓	✓
HEAT MAP		✓	✓	✓
FIRE SMOKE DETECTION				✓
VIDEO TAMPERING		✓	✓	✓
FACIAL RECOGNITION*		✓*	✓	✓

*It is the responsibility of the end user to comply with local regulations regarding personal privacy when using facial recognition technology.

*Starred features are only available on our Network Video Recorders

EXAMPLE: XSEBATVIP4MP28-AI

CAMERA HOUSING

Eyeball

TEB
XEB
XSEB

Turret

T2
T3
XT2
XT3
XST3

Dome

FLF
D2
D6
XD6
XSD6

Pan Tilt Zoom

PTZ
XPTZ
SPTZ

Bullet

B1
XSB2
B7
XB7
XB8
XSB8
B9
LPR

Fisheye

FE

Speciality

QUAD
PIN
CO
CVT

CAMERA FEATURES

Z	Motorized Lens
VF	Varifocal Lens
F	Fixed Lens
B	Black Color
A	Audio
M	Microphone
AI	Artificial Intelligence
L	Limited
PIR	Infra Red Perimeter
FDA	Fixed Dome Microphone
FE	Fisheye Lens
360	360° View
28	2.8, 2.8-12, 5-50, : Lens Size In MM
IP	Internet Protocol
AIO	Analog Hd (All In One) - TVI-CVI-AHD-ANALOG
CVT	Covert Camera
PTZ	Pan Tilt Zoom
PIN	Pinhole
X	Deterrence, Speaker, Mic And Siren
PAN	Panoramic 180°
TV	Total View - See In Color At Night
E	Eco - Basic AI Features
WL	WiFi
S	Spectral - See in Full Color at Night (No LED)

RESOLUTION

12MP

8MP

5MP

4MP

2MP

ALL OUR PRODUCTS ARE



COMPLIANT



GSDGROUPINC.com



1-866-791-7020



sales@gsdgroupinc.com



180 Boul Bellerose Ouest, Suite 100,
Laval QC H7L 6A2 Canada



PROUDLY CANADIAN

